


RESEARCH ARTICLE

# A business process meta-model: construction from the literature and ontological clarifications

Greta Adamo<sup>1</sup> , Chiara Di Francescomarino<sup>2</sup> and Chiara Ghidini<sup>1</sup>

<sup>1</sup>Free University of Bozen-Bolzano, 39100, Bolzano, Italy

<sup>2</sup>University of Trento, 38123, Trento, Italy

**Corresponding author:** Chiara Di Francescomarino; Email: [c.difrancescomarino@unitn.it](mailto:c.difrancescomarino@unitn.it)

**Received:** 15 February 2023; **Revised:** 5 May 2024; **Accepted:** 8 April 2025

## Abstract

While modern definitions of business processes exist and are shared in the business process management (BPM) community, a commonly agreed meta-model is still missing. Nonetheless, several different business process meta-models have been proposed and discussed in the literature, which look at business process models from different perspectives, focusing on different aspects and often using different labels for denoting the same element or element relation.

In this paper, we extend and consolidate an effort of building a business process meta-model starting from elements and relations discovered inspecting relevant literature through a systematic literature review. The obtained *literature-based business process meta-model*, which is on purpose built to disclose critical issues, is then inspected, compared to a previous, more restricted, version, and discussed. The analysis confirms a lack of attention to some crucial business process elements, as well as the presence of some unclear relations and subsumption cycles. Moreover it brings about new issues and inconsistencies in the meta-models proposed in literature, which we address - at least in part - using an ontological analysis.

## 1. Introduction

Modern definitions of business processes (see e.g., Weske 2012b) go beyond the classical control-flow dimensions, by taking into account also other important perspectives related to organizational, data, and goal-oriented aspects. This has brought to a rapid growth of approaches and tools in the stream of multi-perspective business process modelling and mining (Mannhardt 2018), where perspectives such as resources, data, time, and so on, are exploited to augment the basic control-flow one. Such a hype on multiple aspects of business processes shows that the time is now ripe to focus on an investigation of multi-perspective process constructs and relations also at the conceptual level. A commonly agreed broad view on business processes, with clear and shared definitions of business process entities such as resources, data needed and produced by activities, different types of events, and so on, already at the conceptual level, would be crucial for instance to foster the communication and the data compatibility among information system procedures and data structures designed and described using different modelling paradigms and notations. Nonetheless, such commonly agreed broad view is still not present in the BPM literature. Instead, by looking at the business process meta-model literature, a number of different meta-models have been proposed. These meta-models vary greatly, ranging from very general ones to meta-models tailored to a specific business process modelling language and, as such, characterized by the language specificities. Moreover, they often present conflicting differences, for instance when the same term (or label) is used with radically different semantics.

---

**Cite this article:** G. Adamo, C. Di Francescomarino and C. Ghidini. A business process meta-model: construction from the literature and ontological clarifications. *The Knowledge Engineering Review* 40(e5): 1–39. <https://doi.org/10.1017/S0269888925000049>



**Figure 1.** Two samples of different meta-model snippets.

As an example, in the meta-model introduced in Papavassiliou and Mentzas (2003) resource is considered a subclass of role, while in the meta-model introduced in Söderström et al. (2002) role is considered a subclass of resource (see Figure 1a). While this difference may not be necessarily a contradiction, it emphasizes the lack of clarity on the semantics of resource and role which makes the two different choices made in the two different meta-models possible. A second problematic example is the comparison between the meta-model presented in Haller et al. (2006) and that presented in the works of Thom et al. (2005) and Bouchbout et al. (2010) on the relation existing between organization and organization unit. In Haller et al. (2006) organization unit is a (subclass of) organization, while in the remaining two papers organization is composed of organization unit(s) (see Figure 1b). Again this difference emphasizes the need of a clarification in order to build a comprehensive and unique reference meta model.

Obviously, certain differences may be explained in terms of the different perspectives on business processes expressed by different meta-models. Nonetheless, conflicts and misalignments on core elements can be problematic for the community and should be clarified. As an example, if the definition (or the ontological nature) of what a resource is is so unclear that drastically different choices can be made, the risk is either to incur in inconsistencies or to have non informative models, depending on whether a strict or liberal view is taken on what a resource should be. Therefore, while we do not necessarily advocate the construction of a unique business process meta-model, we believe that different views on a business process should be represented by reference meta-models and, more important, the relations between these meta-models should be clear and well understood.

In Adamo et al. (2020), we started investigating critical aspects emerging from different conceptualizations of business processes in business process meta-models and applying the ontological analysis tool to clarify them. The method we employed to identify these critical aspects was to extract business process elements and relations from papers gathered during a systematic literature review on business process meta-models, and combine them into a *literature-based meta-model* of business processes (hereafter, *original LB meta-model*) which was on purpose built by simply joining discovered elements and relations, so as to disclose problems and inconsistencies. One of the problems of that work was the limited number of primary studies (the papers selected via the Systematic Literature Review (SLR)) considered due to the explicit focus on the terms ‘business process’ or ‘process model’, neglecting terms such as ‘workflow’ or implicit meta-models contained in the definition of process oriented modelling languages (such as BPMN, Petri Nets, or Declare), and the possible biases originating from that. Luckily, a wider SLR on business process meta-models was recently published (Adamo et al. 2021), which almost doubles the number of primary studies<sup>1</sup> by widening the queries used to look for the primary studies.

In this paper we recap some definition of business processes and some popular business process modelling languages (Section 2), highlighting the main constructs and differences in their meta-models. Then, we start from the 65 meta-models proposed in this SLR, which is summarized in Section 3, to extend and consolidate the work done in Adamo et al. (2020). In particular, we extract business process elements and relations from the single meta-models (Section 4) and combine them to build a more complete *literature-based meta-model* of business processes (Section 5), which is on purpose built by simply joining discovered elements and relations, so as to disclose problems and inconsistencies. Then we analyze and discuss the single elements/relations as well as the literature-based meta-model with a twofold goal: on the one hand we will look for new characteristics and problems originated from the

<sup>1</sup>It considers 65 primary studies which include the thirty-six of the original SLR.

addition of new elements and relations, on the other hand we will aim at consolidating or rectifying some of the issues identified in the analysis of the original LB meta-model (Section 5.1).

The results of this analysis are: (i) the under-investigation and under-specification of some of the relevant business process elements (e.g., the goal and value of a process), despite the widening of the SLR; (ii) the persistence of recursive subsumption cycles in the organizational and data components of the new meta-model; (iii) the unclear relations between elements of the control flow and in particular gateway, activity, and transition; and (iv) finally the presence of the subsumption and parthood relation between the same pairs of elements that might create confusion. In order to deal with such critical issues, an investigation has been carried out, also with the help of the ontological analysis method, and possible solutions for the identified issues are proposed in Section 6. Finally, related and future works are presented (Sections 7 and 8).

## 2. Business process modelling

This section introduces the most popular and recent definitions of business processes and some reference business process modelling languages used to produce business process models with the aim of illustrating typical process model elements and relations that are present in business process meta-models. The final part of the section is dedicated to an overview of meta-modelling in business process modelling.

### 2.1 On the definition of business process

The notion of what a business process is has changed over time according to the way business processes were understood both in research and in the actual organizations (Lindsay et al. 2003).

Davenport (1993) defines a business process as:

*a structured, measured set of activities designed to produce a specific output for a particular customer or market. [ . . . ] A process is thus a specific ordering of work activities across time and space, with a beginning and an end, and clearly defined inputs and outputs.*

Another definition is provided by Hammer & Champy (1993) where business processes are:

*a collection of activities that takes one or more kinds of input and creates an output that is of value to the customer.*

A more modern and comprehensive definition is presented by Weske (2012b) where business processes are:

*a set of activities that are performed in coordination in an organizational and technical environment. These activities jointly realize a business goal. Each business process is enacted by a single organization, but it may interact with business processes performed by other organizations.*

By analysing these definitions we can divide them in two groups. The first two see a business process as composed of a set of (ordered) *activities* that aim to transform an *input* in an *output* which is of *value* for (or is desired by) a customer or market. The most recent definition replaces this notion of ‘output for someone’ with the stronger notion of business *goal*, thus better empowering and taking into account also the goals of the organization where the process is enacted together with the desires of the customer(s) and markets.

In line with recent work on business process modelling and analysis (Fahland 2022), we can observe how these definitions introduce different high level concepts, hereafter called ‘dimensions’, that belong to the notion of business process: the *behavioural* dimension related to the execution of a set of activities in time; the *organizational* dimension related to the environment in which the process is executed; and the *goal* dimension related to the objective/value realized by the business process. We also introduce here another dimension, the *data* dimension, which pertains the objects manipulated by the activities




Figure 2. A Business Process Diagram in the BPMN language.

within processes. As the remaining of the paper will make clear, these are four fundamental dimensions that can be used to classify entities in a business process and will be used throughout the paper with this exact goal.

## 2.2 Business process modelling languages

In this section 5, we illustrate four representative business process modelling languages introducing their main constructs and relating them to the behavioural, organizational, and goal dimensions introduced above. As the illustration of these languages will make clear, we also use here another dimension often used when describing business process modelling languages: the *data* dimension, which is related to the objects and data manipulated by the activities within the behavioural dimension. We have chosen these languages as they are a mixture between highly popular languages and languages that follow different approaches towards modelling. To support our brief description we make use of process diagrams illustrating a self explanatory scenario of a customer buying a flight ticket from a travel agency. Besides illustrating the scenario, the diagrams are ‘annotated’ with speech balloons indicating the type of entity denoted by the graphical constructs.

**BPMN (2.0.)** BPMN is a standard language, proposed by the Object Management Group (OMG), to design business processes. BPMN defines a Business Process Diagram (BPD) which includes a set of graphical elements divided in: (i) flow objects; (ii) data; (iii) connecting objects; (iv) swimlanes; and (v) artefacts. Flow objects define the behaviour of a business process, as the one reported in Figure 2. They are divided in *events*, *activities*, and *gateways*. Events represent things that happen during a process; they are classified into *start*, *intermediate*, and *end* events. An activity is a generic term that is used to indicate the work to be performed. It can be either atomic (*task*) or compound (*sub-process*). A gateway determines the forking, merging, and joining of paths. In BPMN 2.0, the data dimension include: *data objects*, *data inputs*, *data output*, and *data stores*. The various flow objects are linked to each other through connecting objects, other components of the behavioural dimension which are not further discussed here. Swimlanes represent organization units through *pools* and *lanes*, and they are usually used to answer the ‘who’ question. BPMN provides further elements, called artefacts, to describe the context (or information) of the process such as groups and text annotations. Groups are useful to graphically cluster elements belonging to the same category; text annotations are used to specify additional textual information that can be valuable to the user of the diagram.

**UML-AD.** UML-AD is one of the diagram families of the OMG standardized UML language<sup>2</sup>, whose purpose is to describe the control and data flow as a sequence of activity nodes connected by activity

<sup>2</sup><https://www.omg.org/spec/UML/About-UML/>.




Figure 3. A Business Process Diagram in the UML AD language.




Figure 4. A Business Process Diagram in the EPC language.

edges (see Figure 3). The nodes responsible for describing the behavioural component of the process (the so-called control flow) are the *action nodes* and the *control nodes*. While the former represent atomic steps within an activity, the latter allow for controlling the execution flow by means of the AND, OR, or XOR logical operations. Additional control flow nodes are used to depict the initial and final nodes of process models. *Object nodes* and *object flows* are the main UML-ADs constructs describing the data dimension and how the data flow in the process. The former represent objects at a given point of the flow and, as such, they can also have an associated state. The latter are instead used for connecting object nodes to actions. Activity partitions are a mechanism for grouping activity nodes that have common characteristics. They are mainly used to define organizational units. Finally, the notation allows for specifying another behavioural detail which consists of activity pre- and post-conditions, for instance, by annotating activity edges with guards.

**EPC.** EPC is a modelling language developed in the early 1990s as part of the Architecture of Integrated Information Systems (ARIS) framework Scheer (2002). Three types of nodes are responsible for describing the behavioural dimension of the control flow: *function*, *event* and *logical operators*<sup>3</sup> (see Figure 4). Function nodes represent atomic activities and can be considered as the ‘active’ part of the control flow; event nodes stand for the states in which a process happens to be and can be therefore considered as the ‘passive’ part of the control flow. Functions and events alternate, capturing the intuition that states lead to activities, while activities generate states. Finally, the XOR, AND, and OR logical operators allow for controlling the execution flow.

Functions within the control flow can be connected to objects belonging to the other views of an ARIS model, namely the organizational, data, function and product service views. While the number of objects differs from version to version, the core elements usually comprise: (i) input and output *data*, *material*, *services* or *resource objects* required or produced by a function; (ii) *owners* who are

<sup>3</sup>The list of symbols of EPCs can vary, depending on the specific system implementation. The analysis and diagrams contained in this paper refer to the description provided in Scheer et al. (2005).




Figure 5. A Business Process Diagram in the CMMN language.

responsible for a specific function; (iii) *organisation units* (e.g., a department) responsible for a specific function; and (iv) *supporting systems* (e.g., a database) upon which the function acts. Depending on the version of the language, *goals*, denoted by house shaped pentagons, can be also connected to specific functions.


**CMMN.** CMMN is an OMG standard for the declarative representation of process models. Its main modelling construct is the *case*, which is described by a case diagram. Differently from the previous languages, CMMN follows a declarative approach. Thus, rather than describing all the allowed flows of a process from the start to the end, it models cases composed of process segments (called stages) and tasks. A case plan model contains: (possibly discretionary) *tasks*, *stages*, *milestones*, *event listeners*, *connectors*, and *sentries*. A task is a unit of work. Stages are plan fragments which can be composite or atomic. Events represent something that can happen to a plan construct (e.g., a task is cancelled) or in general (timer and user event listener). Connectors are used to link different plan items. Finally, sentries represent the entry/exit criteria for path items and can direct the control flow mimicking the AND and OR logical operators. All these elements mainly pertain the behavioural dimension. A milestone represents an accomplishment which occurs during the execution of a case and can therefore relate to the goal dimension. *Data objects* and *case file items* are instead constructs used to model elements related to the data dimension.

### 2.3 Meta-models in business process modelling

Meta-models can be developed to describe specific modelling languages or can be independent from specific notations as a way to capture typical aspects of a domain. However, meta-models are very often associated with a specific modelling notation, and they allow us to capture general conceptual architectures rooted in the notations (Guizzardi 2006), by quoting Weske in Weske (2012a, pg. 76):

‘Models are expressed in metamodels that are associated with notations, often of graphical nature. For instance the Petri net metamodel consists of places and transitions that form a directed bipartite graph. The traditional Petri net notation associates graphical symbols with metamodel elements. For instance, places are represented by circles, transitions by rectangles, and the graph structure by directed edges.’

Thus, the business process modelling language of Petri net provides two constructs, *places* and *transitions*, and rules them to be used to create directed bipartite graphs. Circles, rectangles, and directed edges are instead the graphical elements that a specific notation employs to denote the available constructs and their relations.



**Figure 6.** Method used for the SLR (from Adamo-Sosym).

Due to the number of business process modelling languages available in literature, a number of associated meta-models exist. These meta-models can vary greatly, reflecting the expressive power of the language, its characteristics in terms of the specific sub-domain it may focus on or the particular modelling paradigm and approach the business process modelling language adheres to. Meta-models are also defined in literature independently from specific business process modelling languages with the aim of ‘navigating’ across the different business process modelling languages, bridge the gap across them, foster a common ground across different notations, and promote interoperability, thus further increasing their overall number.

Take as an example the processes represented in Figures 2 and 4. By looking at the descriptions of the two languages presented above, and to the diagrams, we observe that both languages allow for representing the activities (e.g., *make flight offer*). The situation changes as soon as we move to the specification of the business goal or to the representation of the *world’s states*. EPC, indeed, allows for explicitly representing in the graphical language *states* (event entities) and somehow the *goals*. BPMN, instead, leaves implicit in the mind of the modeller and of the reader the goal the activities that contribute to realize it, as well as the effects of the activities and the state of the world. On the other hand, BPMN enables a detailed representation of the communication between different actors, by means of message events, which is left unspecified in EPC. These differences between modelling languages are reflected and represented in the meta-models of the two languages.

The SLR summarized in the next section aims at identifying, categorizing, and describing works related to business process meta-models with the goal of providing a first comprehensive review of business process modelling language meta-models in the BPM field.

### 3. A systematic literature review of meta-models in BPM

The SLR presented in Adamo et al. (2021) follows the guidelines for conducting an SLR proposed in Kitchenham (2004), Kitchenham and Charters (2007). Following these guidelines, an SLR is divided in three pivotal phases, graphically summarized in Figure 6: *planning* the review; *conducting* the review; and *reporting* the review. Additional documents, such as sources, tables, analysed entries, and results of analysis, can be found in Adamo (2024) at the following Zenodo’s link: <https://zenodo.org/records/10649652>.

For the sake of readability and space, the remainder of this section is mainly devoted to recall the most relevant steps of the SRL in order to select the set of papers, hereafter called *primary studies*, from which we extracted the elements illustrated in Section 4. This consists in presenting the research questions (RQs) that guided the SLR and the method that was followed to select the papers. The full description of the process followed to conduct the SLR can be found in Adamo et al. (2021).

### 3.1 The research questions

The SLR was motivated and guided by the following four research questions (RQs):

- RQ1.** What types of business process meta-models are being proposed in literature and how can we characterise and categorise them?
- RQ2.** What are the business process elements recurring across business process meta-models?
- RQ3.** What is the role of a business process meta-model?
- RQ4.** Are the proposed business process meta-models evaluated? How?

The research question more relevant to this paper is **RQ2**. This RQ is devoted to the identification of the elements and components of business processes that occur in meta-models. It provides a photograph of the different components and investigates which are the elements of a business process that are (more) often represented in meta-models. The answer to **RQ2** is reported in Section 4.

### 3.2 The review protocol and its execution

We present here the three main steps of the review protocol and its execution: (i) data source and strategy; (ii) inclusion and exclusion criteria; and (iii) development of the quality assessment. For each step we also recall the data extraction strategy and analysis that was decided for that step, that is, the data fields of the papers that were used in order to perform a particular step and the exact procedure for analysing them.

#### *Data source and strategy.*

In this phase, we planned the paper repositories and search queries to be used in our SLR. In particular, we decided to perform (i) a keyword based search on the academic peer reviewed paper repositories DBLP<sup>4</sup>, Scopus<sup>5</sup>, and Web of Science<sup>6</sup> (WoS), and (ii) a manual search on the two reference conference venues in the BPM research area, namely the *Business Process Management* (BPM) conference series<sup>7</sup> and the *Conference on Advanced Information Systems Engineering* (CAiSE) series<sup>8</sup>.

To formulate the keyword-based query, we queried the three paper repositories with the following query

```
(metamodel OR meta-model) AND
  (business process OR process model OR
  petrinet OR petri-net OR workflow OR Declare)      (1)
```

which contains several combinations of relevant keywords connected by the logical operators AND and OR<sup>9</sup>.

The keyword-based queries retrieved 3895 papers from Scopus, 542 papers from WoS, and 63 papers from DBLP as reported in the first column of Table 1. These papers were reduced to 4 169 in total after the deletion of collections (e.g., entire proceedings) which were not considered as a single item in this survey. All 452 papers from the BPM conferences (starting from 2003 to 2018) and all 1065 papers published in the CAiSE conferences (starting from 1990 to 2018) were also included in the initial set of papers to be considered. The resulting 5686 papers were manually pruned from duplicates (papers appearing more than once in the same data source or in at least two data sources) and retracted articles, thus reducing the total number of candidates to 5177

<sup>4</sup><https://dblp.uni-trier.de/>.

<sup>5</sup><https://www.scopus.com/search/form.uri?display=basic>.

<sup>6</sup><https://login.webofknowledge.com/error/Error?PathInfo=2F> Error=IPEError.

<sup>7</sup><https://link.springer.com/conference/bpm>.

<sup>8</sup><https://link.springer.com/conference/caise>.

<sup>9</sup>The actual implementation of query (1) in the syntax of the three repositories is shown in Table 1 of Adamo et al. (2021).

**Table 1.** Query results and selection of Primary Studies

Source	Query Results	No Collections				In Primary Studies
Scopus	3895	3567				60
WoS	542	540				21
DBLP	63	62				5
CAiSE		1065	No	After	After	4
BPM		452	Duplicates	IC/EC	QA	0
Total		5686	5177	67	65	

**Table 2.** Inclusion and exclusion criteria

IC 1:	The paper proposes a meta-model of business processes or BPMLs
IC 2:	The meta-model is either originally developed or originally adapted by the authors
IC 3:	The paper focuses mainly/exclusively on business process aspects
EC 1:	The paper is not available
EC 2:	The paper is duplicate
EC 3:	The paper is not in English
EC 4:	The paper does not belong to the BPM field
EC 5:	The paper does not mainly consider the business process view, but rather it is focused on organisational\entrepreneurial\software engineering aspects without touching the business process level
EC 6:	The paper either was not under peer-review, or it is a technical report
EC 7:	The paper is almost the 'same copy' of others of the same author(s)
EC 8:	The paper either does not include a wide analysis of related works or is not clearly positioned in the state of the art
EC 9:	The paper is not long enough to present a complete meta-model

### *Inclusion and Exclusion criteria*

The next step of the protocol was to define some relevant criteria, in the form of Inclusion (IC) and Exclusion (EC) criteria, in order to evaluate the appropriateness of the papers returned as query results. They are reported in Table 2. In order to be included, papers had to satisfy all inclusion criteria IC 1 – IC 3. Moreover, they were excluded if they did satisfy at least one of the exclusion criteria between EC 1 and EC 9. Basically, all these inclusion and exclusion criteria focus keeping good quality and highly relevant papers.

The application of the IC/EC described in Table 2 was done by manually inspecting 5177 papers that constituted our starting data collection, first by using only title, authors, abstract, and keywords (when present). The IC/EC were then evaluated more carefully on the remaining papers using the entire content of the paper. At the end of this process, 67 papers were retained (see column 4 of Table 1).

### *Quality assessment*

The four quality assessment criteria used in this SLR are:

- QA1: Is a well-defined methodology used?
- QA2: Is the study clearly positioned within the state-of-the-art landscape?
- QA3: Is the goal of the study elucidated?
- QA4: Was the study evaluated/validated?

QA1–QA4 were used to mark papers with three possible scores: *Yes (Y)*, *No (N)*, and *Partially (P)*, weighted 1, 0 and 0.5, respectively. A description of how QA1–QA4 were used to mark papers can be found in the file called ‘quality\_assessment.pdf’ in the Zenodo folder.

The candidate primary studies were marked using the four quality assessment criteria using the entire content of the paper and were included in the primary studies whenever they score at least 2.5 out of the maximum possible score of 4.

As a result of the quality assessment, the two papers scoring lower than the threshold (2.5) were removed and only 65 papers were retained (see columns 5 and 6 of Table 1). These papers constitute the primary studies and are listed in Table A1 in Appendix A classified as workshop, conference (symposium), and journal publications.

#### 4. Extracting meta-model elements and relations from the primary studies

The literature-based-meta-model we propose is based on the elements and relations of the meta-models identified in Adamo et al. (2021). In Section 4.1 we recall the elements extracted from those meta-models and already presented in Adamo et al. (2021), while in Section 4.2 we complete the extraction process by adding the relations between the identified elements.

##### 4.1 Extracting the elements

The aim of this step of the extraction process is to present an overview of the *elements* involved in the primary studies’ meta-models. This step was already described in Adamo et al. (2021) and constitutes the answer to RQ2 described in Section 3.1. To focus the analysis on central elements and relations of business processes, and exclude variants that were specific to a single meta-model, the extraction process focuses on the 142 elements that are considered in at least two meta-models. They are presented in Table 3, grouped in 15 macro-elements:<sup>10</sup> *activity*, *event*, *event à-la BPMN*, *state*, *sequence flow*, *rule*, *time*, *data flow*, *data object*, *actor*, *resource*, *capability*, *value*, *goal*, and *context*<sup>11</sup>. The first 8 macro-elements pertain to the behavioural dimension, *data object* pertains to the data dimension. In this table all the syntactic variants have been classified under a single name. Moreover, for each element, we report in round brackets the number of primary studies’ meta-models in which it occurs and, for each macro-element, the number of elements classified under the specific macro-element together with the total number of occurrences of the elements in the macro-element. Finally, we use the boldface for denoting the elements that appear in at least the 15% of the inspected meta-models.

Before commenting Table 3, we need to specify that we are aware of the problems arising from a study in which the information from different sources is combined together in a cohesive view. Indeed a problem we had to overcome in extracting the elements and creating the table was the establishment of the semantics of its components (i.e., the labels’ semantics) or, at the very least, the clarification of their intended meaning. While this problem was somehow limited for the 34 papers that were explicitly referring to specific (mainly existing) business process modelling languages, it was particularly challenging

<sup>10</sup>By taking into account some of the problems raised in the analysis of the original elements and relations and the corresponding devised solutions, the element classification used for the original meta-model elements has been slightly changed. Specifically, (i) two different macro-elements have been identified for the concepts related to the label ‘event’: *event à-la BPMN*, grouping elements with a semantics close to the notion of exogenous activity, as the element *event-BPMN*, and *state* grouping elements with a semantics close to the notion of state, as the element *event-EPC* and (ii) the label ‘resource’ has been classified as *resource (agentive)*, when the resource has a clear agentive nature, *resource (non-agentive)* when the resource has a clear non-agentive nature, and *resource (generic)*, when the resource has both an agentive and non-agentive nature or it is unclear from the meta-model whether the resource refers to an agentive or to a non-agentive resource. Also, some minor changes have been applied with respect to the elements reported in Adamo et al. (2021) to rectify factual data collection errors.

<sup>11</sup>Note that five elements belong to more than one macro-element: *information*, *position*, *role*, (software) *application* and *process participant*

**Table 3.** Meta-models' elements extracted with the extended SLR

Macro-element	Element
<i>activity</i> (11/127)	activity (44), function (6), atomic activity (22), compound activity (22), transition (13), activity instance (9), manual activity (3), automatic activity (2), collaborative organizational activity (2), critical organizational activity (2), cancel activity (2)
<i>event</i> (6/22)	initial node (5), final node (6), message event (2), signal (2), occurrence/event occurrence (5), trigger (event) (2)
<i>event à-la BPMN</i> (19/60)	event-BPMN (15), event sub-process (2), throw event (3), interrupting (2), start event (4), intermediate event (4), end event (4), message event (4), link event (2), multiple event (2), timer event (2), escalation event (2), error event (2), parallel multiple event (2), conditional event (2), catch event (2), event non interrupting (2), cancellation event (2), conditional event (2)
<i>state</i> (12/61)	state (5), event-EPC (8), atomic event-EPC (2) complex event-EPC (3), precondition (17), postcondition (9), place (5), state occurrence (4), event-EPC exclusion (2), event-EPC sequence (2), event-EPC cardinality (2), event-EPC trend (2)
<i>sequence flow</i> (18/127)	sequence (4), multimerge (2), multi choice (2), sequence flow (12), gateway (24), complex gateway (3), event-based gateway (2), parallel (AND) gateway (22), inclusive (OR) gateway (17), exclusive (XOR) gateway (20), flow operator (4), input flow connector (2), output flow connector (2), unconditional coordination pattern (2), existence (3), coexistence (2), precedence (2), absence (2)
<i>rule</i> (4/9)	decision rule (3), business rule (2), assignment (to an actor) (2), resource parameter binding (2)
<i>time</i> (1/3)	time duration (3)
<i>data flow</i> (5/31)	message flow (10), data flow (9), association (8), conversational link (2), knowledge flow (2)
<i>data object</i> (23/96)	artefact (15), physical artefact (2), data object (15), message (7), data input (4), data output (4), conversation (3), call conversation (2), information (5), physical knowledge support (2), internal knowledge (2), tacit knowledge (2), external knowledge (2), explicit knowledge (2), procedural knowledge (3), knowledge (3), document (6), artefact instance (2), data store (4), database (2), contract (2), product (3), deliverable (4)
<i>actor</i> (18/142)	actor (29), collective agent (5), actor instance (4), organization (14), organization unit (16), human expert (2), internal agent (4), external agent (4), client (5), position (5), (software) application (4), role (24), role instance (2), process owner (3), process participant (9), person (8), human performer (2), organization structure (2)

Table 3. Continued.

Macro-element	Element
<i>resource</i> (15/85)	resource (agentive) (3), resource (non-agentive) (7), resource (generic) (13), material resource (6), immaterial resource (4), information (9), position (3), role (13), (software) application (8), process participant (5), software (3), service (4), resource parameter (3), human resource (2), non human resource (2)
<i>capability</i> (3/7)	duties (2), skills (2), capabilities/competences (3)
<i>value</i> (5/17)	measure (5), cost (3), unit (of measurement) (2), qualitative measure (3), quantitative measure (4)
<i>goal</i> (5/21)	organisational objective (4), goal (11), common goal (2), soft goal (2), hard goal (2)
<i>context</i> (2/5)	context (3), business area (2)

for the 31 papers that described general meta-models not related to any concrete business process modelling language. Since our aim was to survey the elements present in the original meta-models and be faithful to the authors' representations we relied as much as we could on the descriptions provided by the authors or used the standard Business Process Definition Metamodel adopted by the OMG<sup>12</sup> when similar/compatible with the semantics of the elements presented in the papers' meta-models. We decided instead to exclude terms for which at least a basic understanding was not acquirable from the paper itself. One practical example of the work we did is the distinction between the same term 'event' used with different intuitive meanings which we discuss below. To keep track of the different semantics, we decided to classify them using two different labels. Similarly, we have grouped syntactic variants with the same or extremely similar meanings under a single name<sup>13</sup>.

As we can see from the table, five macro-elements stand up as distinctive both in terms of different elements and in terms of overall occurrence. They are: *actor*, *sequence flow*, *activity*, *data object* and *resource*. The most articulated and most popular macro element is that of *actor*, with 18 different elements appearing 142 times in total. This emphasizes the importance of the organizational aspects in business process models. Another relevant group is the one of *activity*, where we can notice a strong homogeneity in the variety of elements and a big presence of the *activity* element, which is the most recurring element in all the meta-models.

Further relevant macro-elements are the ones containing the 'event' related elements. As already discussed in Adamo et al. (2021), the term 'event' was used in some primary studies with a BPMN-like semantics and in others with a EPC-like semantics. To make these two different usages clear, we decided to keep the explicit distinction between them and to classify them into two different macro-elements: event à-la BPMN as something that happens during the course of a process, event as state describing pre- and and post-conditions.

Moving to the less frequent macro-elements, Table 3 consolidates what presented in Adamo et al. (2020) (reported also in Appendix B, Table B1): the key elements of goal (or value) have a lower (or in some cases just implicit) presence in business process meta-models even though the element goal now appears at least in 15% of the meta-models. Another poorly populated macro-element, composed of elements that have recently gained importance in the BPM community, is the one of *rule*.

While most of the elements have been classified in terms of a single macro-element, this operation was not always possible. Indeed, there were few cases in which the same element had an unclear, and

<sup>12</sup><https://www.omg.org/spec/BPDM>.

<sup>13</sup>The list of the main syntactic variants for each element and the correspondence between each element and the primary studies in which it appears can be found in the Zenodo link (file name: 'metamodel\_elements').





*Table 4. Continued.*

BEHAVIOURAL			ORGANISATIONAL			DATA			GOAL			
Domain	Codomain	Relation	Domain	Codomain	Relation	Domain	Codomain	Relation	Domain	Codomain	Relation	
resource (agentive)	activity	<i>assigned_to</i>	organisation	organisation	<i>from,</i>							
					<i>to</i>							
					<i>composed_of</i>							
					(2)							
					<i>aggregates</i>							
					<i>is_a</i>							
					<i>aggregates</i> (2),							
					<i>contains,</i>							
					<i>organisation_</i>							
					<i>hierarchy</i>							
					<i>refined_by,</i>							
					<i>has</i> (2),							
		<i>is_a</i>										
		<i>is_a</i>										
		<i>is_a,</i>										
		<i>aggregates</i>										
		<i>part_of,</i>										
		<i>belongs_to</i>										
		<i>subclass,</i>										
		<i>superclass,</i>										
		<i>activity_</i>										
		<i>performing_</i>										
		<i>relationship,</i>										
		<i>from,</i>										
		<i>to</i>										
		<i>is_a</i>										
		<i>is_a</i>										
		<i>is_defined_</i>										
		<i>within</i>										
		<i>is_a,</i>										
		<i>has</i>										

ORGANISATIONAL



often overloaded meaning. Thus, certain elements do appear in more than a single macro-element. This phenomenon involves mainly elements that appear in the macro-element *resource* and in either *actor* or *data object*. This happens because elements such as *information* or *process participant* can indeed play different roles in a business process, acting for example, as an artefact (resp., actor) or as a resource<sup>14</sup>.

Focusing on single elements, we can notice the big presence of *activity*, and the fact that most of the meta-models present a distinction between atomic and compound activities. Similarly, for *gateway* and the different types of gateways. *actor* and *role* are two other elements recurring more than 20 times, together with *organization*, if we sum it up also with *organization unit*. Another frequent term is the one of 'resource'. Similarly to what happened with the term 'event', different ways of referring to the element *resource* can be found in the primary studies' meta-models: sometimes the term is associated with elements having only agentive characteristics (e.g., agents), other times with elements having only non-agentive characteristics (e.g., artefacts); sometimes a unique term is employed to refer to both resources with agentive and non-agentive characteristics, thus resulting in three different classes, that is, *resource (agentive)*, *resource (non agentive)*, and *resource (generic)*, respectively<sup>15</sup>.

Only few meta-models mentioned goal, rule, and value-related elements. Few are also the meta-models that specify the capabilities of the participants involved in the business processes. Another interesting observation is the fact that *state* does not appear very often in an explicit manner, but it appears more frequently in the form of pre- and post-conditions, event-EPC and places (of Petri Nets). Some meta-models include in their representation also instance elements, such as *activity instance* and *occurrence/event occurrence*, which have been documented for the sake of completeness of the extraction.

Focusing on the frequency of the elements in the meta-models, 20 elements appear in at least 15% of them and are: *activity*, *atomic activity*, *compound activity*, *transition*, *event-BPMN*, *precondition*, *sequence flow*, *gateway*, *parallel (AND) gateway*, *inclusive (OR) gateway*, *exclusive (XOR) gateway*, *message flow*, *artefact*, *data object*, *actor*, *organisation*, *organization unit*, *role* (both as an *actor* and as a *resource*), *resource (generic)* and *goal*. If we increase the threshold to 'appearing in at least 25% meta-models', then only 11 elements satisfy it: *activity*, *atomic activity*, *compound activity*, *precondition*, *gateway*, *parallel (AND) gateway*, *inclusive (OR) gateway*, *exclusive (XOR) gateway*, *actor*, *organization unit* and *role as an actor/organisation*. A remark needs to be made here about the element *resource*=. Indeed if we consider it at a very abstract level, ignoring its agentive vs non agentive characterization, then it also appears in at least 15% and 25% of meta-models. Similarly, it happens for 'event' when considering together *event-BPMN* and *event-EPC*. Finally, only one element (*activity*) appears in more than 50% of the studies.

#### 4.2 Extracting the relations

For the extraction of the relations among meta-model elements, we decided to focus on the elements that (i) either occurred in at least the 15% of the primary studies (i.e., the ones in bold in Table 3); or (ii) although separately are not able to overcome the threshold of 15% of occurrence in the meta-models, they are able to reach the threshold if considered together with the other semantically similar subcategories<sup>16</sup>. We considered hence 23 elements in total: *activity*, *atomic activity*, *compound activity*, *transition*,

<sup>14</sup>The overlap between the two macro-elements *actor* and *resource* can be due to the use of the term 'human resource' in organizational sciences, which may lead to classify humans as resources.

<sup>15</sup>For the sake of simplicity, the *resource (unclear)* class reported in Adamo et al. (2021) has been included in the class *resource (both)* and renamed as *resource (generic)*.

<sup>16</sup>Examples are *event-BPMN* and *event-EPC*, which together reach around 25% of occurrence in meta-models), and *resource (agentive)*, *resource (non-agentive)*, and *resource (generic)*, reaching together around 25% of meta-models' occurrence, as well.

event-BPMN, event-EPC, sequence flow, gateway, parallel gateway (AND), inclusive gateway (OR), exclusive gateway (XOR), precondition, message flow, artefact, data object, actor, role, organization, organization unit, resource (agentive), resource (non-agentive), resource (generic) and goal.

We identified in total 225 relations' occurrences among these 23 elements and, after merging the ones with similar semantics and filtering the ones that are not very significant we obtained 121 unique relations. Table 4<sup>17</sup> reports the 121 relations organized according to their domain and codomain. To ease the analysis, we grouped the elements of domain and codomain into the four dimensions introduced above: behavioural, data, organisational, and goal. The first column reports the category of the domain while the first row reports the category of the codomain.

Similarly to the extraction of elements, we need to remember here the challenge of extracting information from different sources and bringing it together into a single table. The strategy we used for relations is similar to the one used for elements; we relied as closely as possible on the semantics provided by the OMG Business Process Definition Metamodel. We also decided to exclude relations for which at least a basic understanding was not acquirable from the paper itself.

By looking at Table 4 we can observe that in general the elements of a dimension are mainly connected with the elements of the same dimension. This is especially true for the BEHAVIOURAL elements, which have relations mainly with other BEHAVIOURAL elements, and for the ORGANIZATIONAL elements, which are mainly connected with ORGANIZATIONAL elements. Apart from these two clusters, that can be visualized in Table 4 (left and center), we can identify some relations between BEHAVIOURAL and ORGANIZATIONAL elements and viceversa. The most isolated dimension is the GOAL one.

Focusing on the BEHAVIOURAL dimension, we can observe that it includes alone more than 50% of the considered elements (i.e., 13). Among them, activity is the most interconnected (as domain or codomain) element. Many of the BEHAVIOURAL elements are connected to activity through the *is\_a* relation (atomic activity, compound activity and gateway) or through other relations (all the BEHAVIOURAL elements except for event-BPMN and event-EPC). Despite this high interconnection between BEHAVIOURAL elements and activity, most of them are still poorly interconnected with each other, except for atomic/compound activity and transition that is related (as domain or codomain) to several BEHAVIOURAL elements (i.e., activity, compound activity, AND and precondition). Comparing with the restricted scenario of Adamo et al. (2020), whose relations are summarised in Appendix B, Table B2 the relations related to the ORGANISATIONAL elements are more articulated. This is in part due to the introduction of the relations of organisation and organisation unit and to the different kinds of resources taken into account. Moreover the ORGANIZATIONAL elements are very connected with each other within the dimension. Many of these relations are *is\_a* and composition/aggregation relations, as for instance actor, organisation unit and resource(generic) *is\_a* role; role, actor and organisation unit *is\_a* resource(generic); role *part\_of* organisation unit and organisation *aggregates* role.

Focusing on the DATA elements, besides the elements resource (non-agentive) and resource (generic), we can notice the data object and artifact elements, the former being subclass of the latter as well as of the element resource (generic). While both elements show several relations with activity, only artefact seems to be well interconnected with the ORGANISATIONAL elements, mostly as codomain. Note that the element resource (generic) and its relations are shared between the ORGANIZATIONAL and DATA categories.

Finally, the GOAL dimension, which is the only dimension composed of a unique element, is also the most isolated one exhibiting only ??? couple of relations with the BEHAVIOURAL components, as well as one relation with the ORGANISATIONAL elements and with itself.

To conclude, most of the relations appear in only one meta-model. Only 13% of the relations (a slight increase w.r.t., DBLP:conf/caise/AdamoFG20), are included in more than a meta-model: the

<sup>17</sup>The complete list of the relations with the associated cardinality and references can be found in the Zenodo link (file name 'metamodels\_relations').

*is\_a* relation between atomic activity/compound activity and activity, as well as between the elements AND, OR, and XOR and gateway; the relations *composed\_of* and *aggregates* between activity and activity, the relation *requires* between activity and precondition, the relation *requires* between activity and resource (generic), the relation *composed\_of* between compound activity and atomic activity, the relations *from* and *to* between transition and activity, the relation *is\_a* between data object and artefact, the relation *composed\_of* between organization and organization unit, the relation *aggregates* between organization unit and organization unit and, finally, the relation *has* between organization unit and role.

Summing up the entire extraction process, activity is the most interconnected element, being involved—either as domain or codomain—in almost 49% of the relations. Almost 58% of the relations involve elements of the ORGANISATIONAL dimension either as domain or codomain and only about 20% of the relations include DATA elements. Finally, a minimum percentage of the relations (i.e., 3%) involve the GOAL elements.

## 5. Building the enlarged meta-model

Tables 3 and 4 in Section 4 provide an overview of the elements and relations that are considered important for the modelling of business processes. In other words, they provide a list of basic components of a business process meta-model.

The elements and the relations extracted from the different papers allow us to outline those components of business processes (models) deemed most important by the scholars who have proposed the various business process meta-models in the literature. The goals of this section is to start from these individual components and combine them into a meta-model, the so called literature-based business process meta-model (LB meta-model). The method chosen to do that was to directly merge the extracted elements and relations in a unique meta-model. We use the same strategy we used for building Tables 3 and 4 for dealing with the semantics of the different components, that is, when possible, we followed the OMG descriptions used for the standard Business Process Definition Metamodel. The reason to adopt this method, rather than for example, adopt different methodologies as the one provided in López-Fernández et al. (2015) was to remain as much faithful as possible to the the authors' (possibly different or conflicting) representations. Indeed, while the goal of typical methodologies such as the one of López-Fernández et al. (2015) is that of building well crafted reference meta-models that represent the agreed views of domain experts, our aim is to build a *bottom up* meta-model that provides a comprehensive picture of 'what has been modelled' in the reference literature, and is also able to highlight the critical issues that can arise by putting together different views on processes expressed by the different individual meta-models. Indeed, investigating and resolving critical issues, such as the lack of representation of certain elements, or the conflicting (unclear, different, . . .) representations of certain elements is a necessary step for the definition of expressive business process meta-models with a clear semantics. An example of this investigation is presented in Section 6 where we make an attempt to address some criticalities of the *LB meta-model* we are going to present here with the help of ontological analysis.

The complete *LB meta-model* is depicted in Figures 7 and 8: the former depicts the standard hierarchical relations of subsumption and parthood, the latter all the remaining relations. Grey is used for the BEHAVIOURAL elements, pink for the ORGANIZATIONAL elements, yellow for the DATA elements, red for the GOAL elements, and white for the elements at the intersection between the ORGANIZATIONAL and DATA dimension.

By comparing the diagrams in Figures 7–8 and the original meta-model proposed in Adamo et al. (2020), here reported in Appendix B, Figure B1, we can easily see the greater complexity of the current meta-model, in terms of elements and especially in terms of relations (see Figure 9, which depicts the relations added in preparing the new version of the *LB meta-model*). The meta-model is built starting from the elements and relations presented in Tables 3 and 4 and therefore it emphasises—in a graphical manner—most of the characteristics that we have already observed in those tables. In particular, activity emerged as the most connected element, being related to the majority of the elements.




Figure 7. LB meta-model hierarchical relations.

However, as mentioned in the previous section, the other elements of the BEHAVIOURAL dimension are very rarely related with each other. Activity plays also a central role when we focus on the taxonomic and part-of relations. These two latter diagrams clearly show how activity is sometimes considered as a single unit of work and sometimes considered as a composite entity. With the exception of activity (or its atomic or compound variants) only few BEHAVIOURAL elements are connected with elements of the other dimensions, namely message flow (that includes several relations with the element actor) and precondition (that provides one relation with the element goal). The latter may support the importance of transaction goals (Adamo et al. 2018a), that is, the notion of goal seen as the state that describes the output (effects) of the activities, including the final one.

The ORGANIZATIONAL and DATA dimensions are the ones that have grown the most in this new version of the meta-model. In this part of the model, the elements that are mostly connected are actor and role. They are both widely linked with activity, in terms of ‘participation’, ‘assignment’, ‘involvement’, and ‘performance’. Actor is modelled as an entity with agentive<sup>18</sup> characteristics. These characteristics

<sup>18</sup>Notoriously, the definition of agency is largely debated in the artificial intelligence field. For our purposes, we take the view that an agent is an entity with sensors, actuators, and the capability to act on itself or on the environment (Russell & Norvig 1995).






Figure 9. The new relations of the LB meta-model

are well described by relations such as:

- actor *carries\_out* activity,
- actor *has\_responsibility* role,
- actor *achieve* goal,
- actor *manage* resource(non agenerative).

The element role is represented as something that is ‘performed’ and ‘act as’ in relation with actor. However, the relations involving role, actor, and resource, suffer of problems similar to the ones already noted in Adamo et al. (2020), which will be discussed in the next section. A notable expansion of the ORGANIZATIONAL part is also provided by the new elements organization and organization unit, and their relations with other ORGANIZATIONAL elements, which addresses in part the lack of ORGANIZATIONAL elements in the original LB meta-model.

The DATA dimension has grown in number of elements and relations. Nonetheless, artefact is almost the only element with a number of connections to the other dimensions. The relations describe artefact as something that is used and manipulated. Note also that data object is both an artefact and a resource (generic), so it is a subclass of the other two DATA elements.

Finally, the dimension of GOAL and its unique element are still under-represented, also in terms of relations. In particular, if we consider the five relations involving goal :

- activity *support* goal,
- precondition *refers\_to* goal,
- actor *achieve* goal,
- goal *aggregates* goal,
- goal *composed\_of* goal,

We can see that goal never appears as the domain of the relation, apart for the two reflexive ones.

### 5.1 Critical issues of the *LB meta-model*

In analysing the possible problematic aspects of the *LB meta-model* we start by discussing the issues described in Adamo et al. (2020) to see whether they are still present.

First, the imbalance concerning goal and value is present also here, despite having almost doubled the primary studies and lowered the threshold related to the elements included in the *LB meta-model*. Few more elements appear in Table 3 in the *goal* and *value* categories, but they do not appear often enough to meet the threshold. This emphasizes the need of tackling the issue of a clear conceptualization of the notions of goal and value in a business process model.

Second, the observation that the *LB meta-model* captures mostly ‘standard’ aspects of business processes, and ignores elements related to, for example, the decision rules and collaboration aspects underlying process models, is still valid, despite the increased size of the study.

Third, it is easy to note that the problematic overlapping between role, actor, and resource remains also in the new version of the meta-model. Indeed, the model reveals subsumption cycles between actor, role, and resource, thus resulting in the equivalence of the three elements. Despite our attempt to distinguish between different types of resources (agentive, non agentive, and generic), the relation between resource and other ORGANISATIONAL elements remains unclear, and it is mostly related to the resource (generic) element. While this is not a problem per se, the possibly generic manner in which a resource is treated, which neglects its very different characteristics, can generate problems. This is especially true for the is-a relation as observed earlier on.

Fourth, the explicit distinction between event-EPC and event-BPMN, together with the explicit introduction of the element function<sup>19</sup>, and the characterization of event-EPC as a state, have somehow eased the problematic overlapping between event-EPC, event-BPMN, and precondition illustrated in Adamo et al. (2020). Nonetheless, a clarification of how event-EPC and event-BPMN relate with the other elements (and in particular with activity) is still needed. In fact, it is easy to see that event-EPC and event-BPMN are involved in very few relations in Figures 7 and 8. Also, the precise semantics of event-EPC, and its characterization in terms of a stative and a triggering component is still an interesting problem to address<sup>20</sup>, even if the problem was left out from this version of the meta-model.

In addition to the problems above, the *LB meta-model* shows new problematic aspects<sup>21</sup>. An example is the counterintuitive *is\_a* relation between gateway and activity. According to a common-sense semantic, a gateway (see e.g., BPMN) can be seen either as a path or as a (decision) rule, and it is not clear whether or why a gateway can be seen as an activity. Among the new elements, clarifications would be needed on the usage of the term transition, which appears to have rather different intuitive meanings in the meta-model. On the one hand, it appears to convey a ‘transition between states’ meaning, witnessed by the relations:

```
event-BPMN initiates transition,
precondition controls transition,
```

and it is considered a specific type of activity:

```
transition is_a activity.
```

On the other hand, it also appears to convey the completely different meaning of a flow element connecting behavioural objects, witnessed by the relations:

```
transition from activity,
transition to activity,
transition may_start END,
transition may_end END.
```

<sup>19</sup>function does not appear in the *LB meta-model* because it did not appear often enough to meet the threshold.

<sup>20</sup>If event-EPC is a stative element it cannot activate or cause anything by itself, and this conflicts with its triggering nature.

<sup>21</sup>These aspects were somehow present also in the original meta-model but not carefully investigated




Figure 10. Meta-model of role, actor and resource.

A further ambiguity regards the presence of both the subsumption and parthood relation between elements. For instance, when looking at `organisation unit` and `organisation`, we have that:

```

organisation unit is_a organisation,
organisation is_composed_of organisation unit.

```

A similar overlap happens between `activity` and `atomic activity/compound activity`. A discussion on whether this is a desirable or problematic aspect should be conducted.

In the next section, we will focus on some of these problematic issues and will propose some clarifications and solutions using the ‘tool’ of ontological analysis. In particular, we will focus on: (i) the problematic overlapping between `role`, `actor` and `resource`; (ii) the subsumption relation between `gateway` and `activity`; (iii) the presence of both the subsumption and parthood relations; and (iv) the concise description of the `GOAL` dimension in the *LB meta-model*.

## 6. Addressing the critical issues with ontological analysis

In this section, we address the critical aspects identified at the end of Section 5.1 trying to propose ontologically grounded solutions, when appropriate. In the diagrams that describe our refactoring we denote with light blue filled boxes concepts in the upper ontology DOLCE (Masolo et al. 2003) and its extensions, and with green filled boxes newly introduced business process elements.

### 6.1 Role, actor and resource

The first critical issue concerns the `ORGANISATIONAL` and `DATA` dimensions and in particular the relation between `role`, `actor` and `resource`. This critical aspect was already identified in Adamo et al. (2020). Therefore, in this paper, we have made an attempt to address this unclear interplay by explicitly disambiguating the notion of `resource` and specifying whether a resource presents agentive characteristics or not. This attempt was, nonetheless, unsatisfactory: the SRL identified a number of primary studies which use the notion of `resource` either in an unclear manner or with both meanings in a uniform way. This confusing usage generated again the subsumption loop between `role`, `actor` and `resource`.<sup>22</sup> For this reason, we stress here the importance of: (i) being aware of the complexity of the notion of `resource`; (ii) disambiguating this notion in meta-models; and (iii) specifying whether `resource` is used with agentive characteristics or not. Moreover, we propose again the solution illustrated in Adamo et al. (2020) and depicted in Figure 10. This solution is based on a refactoring of the `ORGANISATIONAL` and `DATA` dimensions based on the notion of ‘resource in terms of role it plays’. The light blue filled boxes

<sup>22</sup>This is not surprising. Indeed, in the BPM community, resources are defined in many different ways. See for example, <https://genie137.gitbooks.io/fundamentalsofbpmsummary/content/Chapter3/chapter3.4.html>.

denote reference concepts in the upper ontology DOLCE (Masolo et al. 2003) and its extension for roles as social concepts (Masolo et al. 2004) and for the analysis of business process participants (Adamo et al. 2017). In this diagram, a business process resource *plays\_a* role when it is *assigned\_to* (endogenous) activities<sup>23</sup>. Note that we used association classes to reify the *plays\_a* relation, to denote that the object that denotes a resource playing a role is assigned to an activity. An actor is an agentive business process participant and an artefact and a data object are non-agentive participants, and both can have *physical* and/or *non-physical* characteristics. Consider that the element actor includes agents in general, in this case both humans and cyber-physical systems. Finally, note that the association between resource (generic) and role occurs within the boundaries of activity, which somehow plays here the role of context in the definition of something as a resource (Azevedo et al. 2015; Sanfilippo et al. 2018).

## 6.2 Activity and gateway

The second critical issue involves the element gateway, and its subsumption relation with the element activity. To clarify whether a gateway can be considered a type of activity or not, we start from the analysis made in Santos Jr. et al. (2010), in which an ontological analysis of some elements of ARIS EPCs using UFO ontology (Guizzardi & Wagner 2004) is provided. Although Santos Jr. et al. (2010) focus on a specific notation, the ontological analysis of the gateway element is general, since the semantic of the constructs AND, OR, and XOR, is widely shared among business process modelling languages.

A gateway can be considered a *relation* that determines and mediates whether a specific state of the world is appropriate in order to execute the next business process steps (Santos Jr. et al. 2010). Consider a simple business process model for selling a product: only after payment it is possible to proceed with the creation of the package's label and the shipment. Thus, without realising a state of the world in which the product has been paid it is not possible to access another state of the world in which the product will be prepared and shipped. Gateways are used to relate these different states of the world when complex entities, that is multiple states of the world, are involved. For example, they can merge several activities and events in one possible state of the world, or viceversa they can fork one state in multiple (parallel or exclusive) outcomes.

In Figure 11, we propose a refactoring of the element gateway and its relations with other elements. The green boxes represent the newly introduced elements *state* and *postcondition* that did not meet the 15% threshold for being part of the *LB meta-model*. In this figure, we can observe that gateway is included in the temporal flow of a business process (model), and this aspect is captured by the relation *sequence flow is\_connected\_with* gateway. Relations *is\_evaluated\_by* and *leads\_to*, originally involving gateway and event-EPC have been moved between gateway and state. This reflects the analysis of Santos Jr. et al. (2010) and also the observation, made in Adamo et al. (2020), that events à-la EPC can be considered as a pre-postcondition, and therefore a state, having some triggering/causal characteristics (Adamo et al. 2020). For the sake of completeness, in Figure 8, we observe also the existence of two another unclear relations involving gateway, that is, the relations *may\_start*, and *may\_end* between transition and the AND gateway. These relations deserve an ad hoc analysis that we leave for future work, once we also analyse the relation between activity and transition and are therefore left out of our refactoring in Figure 11.

## 6.3 Subsumption and parthood

The *LB meta-model* contains several elements connected by different types of hierarchical relations, and in particular subsumption and parthood relations. Although this is not problematic per-se, it is something that can be related to different meanings given to the same elements and that needs to be

<sup>23</sup>An analysis concerning types of business process activities can be found in Adamo et al. (2020). Generally, speaking, here we focus on resources that are assigned to activities within the process owner boundaries.




Figure 11. Meta-model of gateway.




Figure 12. Refactoring subsumption and parthood—activity.

verified. We focus here on two groups of elements: the pair `organization` `unit` and `organization`, and the triple `activity`, `atomic activity`, and `compound activity`.

Concerning `organization` and `organization unit`, the two relations may be connected to two slightly different notions of `organization`, namely a superkind with a specific identity, goal, mission and policy (e.g., company named *X*) and a kind of social *structure* composed of members playing roles that can decide and act as a unity. While the relation `organization is_composed_of organization unit` appears to be more related to the first meaning of `organization`, the `organization unit is_a organization` appears to be related more to the second meaning of `organization`. While these two senses need to be further investigated (starting e.g., from Bottazzi & Ferrario 2009) we take here the view of the ontological characterization of an `organization` reported in the W3C *The Organization Ontology* (W3C Recommendation 16 January 2014)<sup>24</sup> in which a (sub-)organization can be recognized as *standalone organization*, and maintain the two co-existing relations.

Concerning `activity`, `atomic activity`, and `compound activity`, the overlapping relations seem to be originated by the different level of granularity at which `activity` is described. Indeed `activity` is sometimes considered an atomic piece of work (and therefore a synonym of `atomic activity`); sometimes it is explicitly used to express both the atomic and compound flavour; and sometimes it is considered just a generic part of the process disregarding the granularity aspect. To make the usage of these terms consistent we suggest to adopt the self explaining refactoring of Figure 12.

<sup>24</sup><https://www.w3.org/TR/vocab-org/>.




Figure 13. Meta-model of goal.

#### 6.4 Goal

To enrich the notion of business process goal we decided to extend its subkinds and connect those with other elements of the meta-model. This analysis and the refactoring of the elements and relations are inspired by Adamo et al. (2018a), in which the investigation of goal is based on the notion of business process *participant* and not on specific modelling approaches/languages.

In a nutshell, we propose to extend the *LB meta-model* with three different notions of goal: *primary goal*, *transaction goal*, *data and organisation oriented goal*<sup>25</sup>. The primary goal is the ‘reason to exist’ of a process and is related to an evolution of states of the world, or of a fragment of it, for some actors/organisations:

*the goal of a business process is the realisation of a state of the world, starting from an initial condition, which is of value to one or more organisational participants (for whatever reason).*

This definition is based on the work of Rolf and Asada presented in Rolf and Asada (2015) modified to be applied to the business process context. The transaction goal explains the behavioural and procedural *layout* of the business process (model). More specifically transactional goals concern: (i) the final state reached after the last transaction, and (ii) the output (or effects) of each activity/sub-process. Finally, the data and organization oriented goals are those related to specific business process participants, such as actors and artefacts, who/which may have goals that are different from the global ones of the process.

Figure 13 represents the extension of the *LB meta-model*, which takes into account the goals’ definitions summarized above and the analysis of goals that has been carried out in Adamo et al. (2018a). For the sake of this refactoring we have introduced the element *postcondition* and some relations, in bold in the diagram. The meta-model is enriched by adding three sub-classes of goals, *primary goal*, *transactional goal*, and *participant goal*, which denotes data and organisation goals. The *postcondition* produced by the activity *satisfies* the transactional goal. The *participant goal* *refers\_to* participants, actors, artefacts, data objects, and organisation, which *participate* in the activities. In particular, this kind of goals *inherits* in the actor and organisation business process participants. In this sense actors and organisations have *intentions* and the content of these intentions can be goals (Guizzardi et al. 2008). Both transactional goal and participant goal *contribute* to the primary goal which is the realisation of a (desired) state of the world which is relevant for at least one participant of the process. Note that activity *supports* goal, and the latter is the super-class of the three more specific goals. This means that activities bear all three sub-goals.

<sup>25</sup>The work in Adamo et al. (2018a) introduces also two types of meta-goals of a process. However in this section we focus only on the notions of goals related to the process itself.

### **6.5 Limitations of the paper**

Part of the limitations of the study are related to the limitations of the SLR and include: (i) biases in the selection of the papers; (ii) imprecisions introduced in the extraction of data from the selected works. To mitigate these threats, we followed the guidelines reported in Kitchenham and Charters (2007), Kitchenham (2004) We applied the standard procedures reported in the guidelines for the correctness of the SLRs, such as the identification of the proper keywords to perform the data search, the selection of the appropriate sources and repositories for the field under investigation, the definition of clear inclusion and exclusion criteria, as well as of the quality assessment parameters. Specifically, we relied on the main literature sources and libraries in the information system field for the extraction of the works related to business process models and meta-models. Moreover, we expanded the search by manually inspecting the two main reference conferences in the field of BPM. To further improve the reliability of the review, we put some effort in guaranteeing the reproducibility of the search by other researchers, although ranking algorithms used by the source libraries could be updated and provide different results.

Another limitation is related to the fact that our search was limited to papers in English language, thus limiting the generalizability of the results. We indeed specified as part of the WoS query that papers should be in English language and we further applied an exclusion criteria to remove the non-English papers extracted from the other repositories. However, processing non-English papers would open the issues of which languages to include and of having the linguistic abilities to process non-English papers. Moreover, we expect that the literature in English is able to capture a significant picture of the scientific works carried out.

Similarly, the search method and the search query used for the automated paper extraction could have left out some relevant papers. In particular, we mainly focused on (i) manual search on two reference conferences, and (ii) database search using queries looking for explicit meta-models. This may have left out papers that could be obtained by other search methods, in particular snowball search, or by query terms looking for implicit meta-models such as the ones derived from formal representations. However, the first limitation is partly mitigated by exploiting two out of the three commonly used search methods for Systematic Literature Reviews (Brings et al. 2018), that is, manual and database search, and the second limitation is mitigated by the fact that whenever an explicit meta-model reflecting the corresponding formal specification is available, we are anyway able to indirectly capture the elements of the formal representation.

A further limitation hampering the results of the SRL is related to potential inaccuracies due to the subjectivity of the analysis carried out. Indeed, (i) only one researcher selected the candidate primary studies; and (ii) only one researcher worked on the data extraction. Nevertheless, both aspects have been mitigated by the fact that (i) another researcher checked the inclusion and the exclusion of the studies; and (ii) another researcher checked the data extraction, as suggested in Brereton et al. (2007).

Some limitations regard the ontological analysis, which was grounded on specific formal ontologies, that is, DOLCE and UFO, and cognate literature. This may have influenced the way we analysed and proposed solutions for the issues presented in this section. This decision was taken because of the relevance of the aforementioned upper ontologies in the fields of information systems and BPM, which is evidenced by papers and existent applications.

Finally, we need to remember that the current version of the meta-model contains other business process components with an unclear semantics. Examples are the stative and triggering nature of event-EPC, or the relation between transition and activity. Nonetheless the current analysis focuses on elements such as activity, role, resource and goal which can be considered an important part of any business process definition.

## **7. Related works**

To the best of our knowledge, very little work has been carried out so far specifically investigating and analysing the existing literature related to business process meta-models. However, a variety of

sources exist that attempt to bring clarity to certain aspects of business process and modelling. Some of these papers are focused on the *creation of business process meta-models* and are indeed included in the list of the primary studies. For example, in both List and Korherr (2006) and Söderström et al. (2002), conceptual frameworks of business process are proposed in order to evaluate or compare and translate modelling notations. In the work of Heidari et al. (2013), a general meta-model is developed starting from the elements of seven business process modelling languages. The language independent meta-model is finally compared and analyzed with an ontology.

Several papers have been focusing on the *ontological analysis* of business process modelling and related fields. The works in Azevedo et al. (2015), Fadel et al. (1994), Sanfilippo et al. (2018), Adamo et al. (2017) have been already discussed in reference to our work in Section 6 and are not described here for lack of space. In Sanfilippo et al. (2014) an ontological analysis of event and activity constructs in BPMN is presented. Santos Jr. et al. (2010) presented an ontological analysis of ARIS EPCs using the UFO ontology (Guizzardi & Wagner 2010) for the semantic interpretation of the elements. In particular, they focused on the analysis of function, event and rule. Focusing on works independent from specific modelling languages, Guizzardi et al. (2013) propose an ontological analysis of events. The analysis is performed considering the UFO ontology and, although the paper is not committed with the specific representation of events in business process modelling, the research analyses conceptual models, reference frameworks and domain ontologies also in the area of business process modelling. Other works (e.g., Recker et al. 2009) analyse business process modelling using the Bunge Wand and Weber ontology (Wand & Weber 1990) as reference framework. In Adamo et al. (2018b) the authors offer an ontological inquiry of the relationships between activities. Concerning goals, the work in Adamo et al. (2018a) provides a classification of business process goals from the point of view of participants, while the work in Soffer and Wand (2005) analyses and integrates notion of goal and soft-goal in business process modelling. A careful evaluation of how to complement our work with the ones listed here is left for future works.

The only work that makes an attempt to leverage the literature in order to investigate the meta-models proposed in papers so as to investigate commonalities, differences, and critical issues emerging from them is the one in Adamo et al. (2020), which we revise and further extend here. The revision and extension concerns: (i) the number and type of meta-models taken into account for the analysis, which are extracted from papers retrieved using a wider set of keywords. This was made in order to correct possible flaws in the identification of the primary studies of the first study. This expansion has extended the number of meta-models from 36 to 65 and widened the area from which the meta-models were extracted, making an attempt to include the software engineering and the process oriented modelling languages ones; (ii) the elements and relations extracted from the 65 meta-models, which extend the ones extracted in the original study in a considerable manner so as to produce the wider *literature-based meta-model* of business processes presented in Section 5; (iii) a revised analysis and discussion of the single elements/relations as well as of the literature-based-meta-model. This analysis has enabled us to reinforce the validity of the problematic findings of the *original LB meta-model* concerning the organisational/data and goal/value categories. It has also pointed out new unclear elements and relations, especially in the behavioural category (see Section 6). In order to deal with such problems, an investigation was carried out, also with the help of the ontological analysis method, and possible solutions for the identified issues were proposed in Section 6. These, mostly novel solutions, include also the one to the problematic subsumption cycle between actor, role and resource, first proposed in Adamo et al. (2020).

## 8. Conclusions

In this work, a significant extension of a business process meta-model extracted from state-of-the-art proposals through a systematic literature review is presented, together with a discussion of critical issues and possible solutions related to notions such as activity, gateway, organization, role, resource, and goal.

Although the single meta-models proposed in literature were individually consistent, combining them into a unique *LB meta-model*, allowed us to identify critical issues, to carry on an analysis of these issues, and to propose possible solutions. In the future, we plan to further extend this work by addressing the unsolved issues highlighted in Section 6. For instance, we would like to investigate the notion of transition, and its relation to activity, as well as to further analyse business process elements neglected in the individual meta-models, such as *goal* and *value*.

These investigations can provide a significant step in the direction of a well-thought and agreed view on multi-perspective business process components at the conceptual level. This view would be beneficial not only for the development of new notations and systems but also for improving the interoperability of existing notations and information systems.

**Competing interests.** The authors declare that have no competing interests.

## References

- Adamo, G. 2024. A literature-based business process meta-model: construction and ontological clarifications [data set]. <https://doi.org/10.5281/zenodo.10649652>
- Adamo, G., Borgo, S., Di Francescomarino, C., Ghidini, C. & Guarino, N. 2018a. On the notion of goal in business process models. In *Proceedings of the 17th International Conference of the Italian Association for Artificial Intelligence (AI\*IA 2018)*, LNCS **11298**, 139–151. Springer.
- Adamo, G., Borgo, S., Di Francescomarino, C., Ghidini, C., Guarino, N. & Sanfilippo, E. M. 2017. Business processes and their participants: An ontological perspective. In *Proceedings of the 16th International Conference of the Italian Association for Artificial Intelligence (AI\*IA 2017)*, LNCS **10640**, 215–228. Springer.
- Adamo, G., Borgo, S., Di Francescomarino, C., Ghidini, C., Guarino, N. & Sanfilippo, E. M. 2018b. Business process activity relationships: Is there anything beyond arrows?. In *Business Process Management Forum – BPM Forum 2018, Proceedings*, LNBP **329**, 53–70. Springer.
- Adamo, Di Francescomarino and Ghidini, G., Di Francescomarino, C. & Ghidini, C. 2020. Digging into business process meta-models: A first ontological analysis. In *Advanced Information Systems Engineering – 32nd International Conference, CAiSE 2020, Grenoble, France, June 8–12, 2020, Proceedings*, Dustdar, S., Yu, E., Salinesi, C., Rieu, D. & Pant, V. (eds), Lecture Notes in Computer Science **12127**, 384–400. Springer.
- Adamo, G., Ghidini, C. and Di Francescomarino, C. 2021. What is a process model composed of? A systematic literature review of meta-models in BPM. *Software and Systems Modeling*.
- Ahn, H., Kim, K. & Kim, K. P. 2018. Generating process entity hierarchies from XPD L process models. In *Proceedings of the 20th International Conference on Enterprise Information Systems, ICEIS 2018, Funchal, Madeira, Portugal, March 21–24, 2018, Volume 2*, 690–695. SciTePress.
- Albert, P., Henocque, L. & Kleiner, M. 2005. Configuration based workflow composition. In *IEEE International Conference on Web Services (ICWS'05)*, **1**, 285–292.
- Amjad, A., Azam, F., Anwar, M. W., Butt, W. H., Rashid, M. & Naeem, A. 2018. UMLPACE for modeling and verification of complex business requirements in event-driven process chain (EPC). *IEEE Access* **6**, 76198–76216.
- Arévalo, C., Cuaresma, M. J. E., Ramos, I. M. & Domnguez-Muñoz, M. 2016. A metamodel to integrate business processes time perspective in BPMN 2.0. *Information & Software Technology* **77**, 17–33.
- Axenath, B., Kindler, E. and Rubin, V. A. 2007. AMFIBIA: A meta-model for integrating business process modelling aspects. *International Journal of Business Process Integration and Management* **2**(2), 120–131.
- Azevedo, C. L. B., Iacob, M., Almeida, J. P. A., van Sinderen, M., Pires, L. F. & Guizzardi, G. 2015. Modeling resources and capabilities in enterprise architecture: A well-founded ontology-based proposal for archimate. *Information Systems* **54**, 235–262.
- Ben Hassen, M., Turki, M. & Gargouri, F. 2016. A proposal to model knowledge dimension in sensitive business processes. In *Intelligent Systems Design and Applications - 16th International Conference on Intelligent Systems Design and Applications (ISDA 2016) held in Porto, Portugal, December 16–18, 2016*, Advances in Intelligent Systems and Computing **557**, 1015–1030. Springer.
- Ben Hassen, M., Turki, M. & Gargouri, F. 2017. Extending bpmn 2.0 with the knowledge dimension. In *Proceedings of the Seventh International Symposium on Business Modeling and Software Design*, 111–124. SciTePress.
- Bernardi, M. L., Cimitile, M., Di Lucca, G. A. and Maggi, F. M. 2012. M3D: a tool for the model driven development of web applications. In *Proceedings of the Twelfth International Workshop on Web Information and Data Management, WIDM 2012, Maui, HI, USA, November 02, 2012*, Fletcher, G. H. L. & Mitra, P. (eds), 73–80. ACM.
- Bessai, K. & Nurcan, S. 2009. Actor-driven approach for business process. how to take into account the work environment?. In *Enterprise, Business-Process and Information Systems Modeling, 10th International Workshop, BPMDS 2009, and 14th International Conference, EMMSAD 2009, held at CAiSE 2009, Amsterdam, The Netherlands, June 8-9, 2009. Proceedings*, Halpin, T. A., Krogstie, J., Nurcan, S., Proper, E., Schmidt, R., Soffer, P. & Ukör, R. (eds), Lecture Notes in Business Information Processing **29**, 187–196. Springer.

- Bottazzi, E. & Ferrario, R. 2009. Preliminaries to a DOLCE ontology of organisations. *International Journal of Business Process Integration and Management* 4(4), 225–238.
- Bouchbout, K., Akoka, J. & Alimazighi, Z. 2010. Proposition of a generic metamodel for interorganizational business processes. In *Proceedings of the 6th International Workshop on Enterprise & Organizational Modeling and Simulation, EOMAS'10*, 42–56. CEUR-WS.org, Aachen, DEU.
- Bouneffa, M. & Ahmad, A. 2013. Change management of bpm-based software applications. In *ICEIS 2013 – Proceedings of the 15th International Conference on Enterprise Information Systems, Volume 2, Angers, France, 4–7 July, 2013*, Hammoudi, S., Maciaszek, L. A., Cordeiro, J. & Dietz, J. L. G. (eds), 37–45. SciTePress.
- Braun, R., Schlieter, H., Burwitz, M. & Esswein, W. 2014. BPMN4CP: Design and implementation of a BPMN extension for clinical pathways. In *2014 IEEE International Conference on Bioinformatics and Biomedicine, BIBM 2014, Belfast, UK, November 2–5, 2014*, Zheng, H. J., Dubitzky, W., Hu, X., Hao, J., Berrar, D. P., Cho, K., Wang, Y. & Gilbert, D. R. (eds), 9–16. IEEE Computer Society.
- Brereton, P., Kitchenham, B. A., Budgen, D., Turner, M. & Khalil, M. 2007. Lessons from applying the systematic literature review process within the software engineering domain. *Journal of Systems and Software* 80(4), 571–583.
- Brings, J., Daun, M., Kempe, M. & Weyer, T. 2018. On different search methods for systematic literature reviews and maps: Experiences from a literature search on validation and verification of emergent behavior. In *Proceedings of the 22nd International Conference on Evaluation and Assessment in Software Engineering 2018, EASE'18*, 35–45. Association for Computing Machinery. <https://doi.org/10.1145/3210459.3210463>
- Brüning, J. & Gogolla, M. 2011. UML metamodel-based workflow modeling and execution. In *Proceedings of the 15th IEEE International Enterprise Distributed Object Computing Conference, EDOC 2011, Helsinki, Finland, August 29–September 2, 2011*, 97–106. IEEE Computer Society.
- Cherfi, S. S., Ayad, S. & Comyn-Wattiau, I. 2013. Improving business process model quality using domain ontologies. *Journal on Data Semantics* 2(2-3), 75–87.
- Combemale, B., Crégut, X., Garoche, P., Thirioux, X. & Vernadat, F. 2007. A property-driven approach to formal verification of process models. In *Enterprise Information Systems, 9th International Conference, ICEIS 2007, Funchal, Madeira, Portugal, June 12–16, 2007, Revised Selected Papers*, Filipe, J., Cordeiro, J. & Cardoso, J. S. (eds), Lecture Notes in Business Information Processing 12, 286–300. Springer.
- Damaggio, E., Hull, R. & Vaculin, R. 2013. On the equivalence of incremental and fixpoint semantics for business artifacts with guard-stage-milestone lifecycles. *Information Systems* 38(4), 561–584.
- Davenport, T. 1993. *Process Innovation: Reengineering Work Through Information Technology*. Harvard Business School Press.
- De Nicola, A., Missikoff, M., Proietti, M. & Smith, F. 2010. An open platform for business process modeling and verification, In *Database and Expert Systems Applications, 21st International Conference, DEXA 2010, Bilbao, Spain, August 30–September 3, 2010, Proceedings, Part I*, Lecture Notes in Computer Science 6261, 76–90. Springer.
- Dörndorfer, J. & Seel, C. 2017. A meta model based extension of BPMN 2.0 for mobile context sensitive business processes and applications. In *Towards Thought Leadership in Digital Transformation: 13. Internationale Tagung Wirtschaftsinformatik, WI 2017, St. Gallen, Switzerland, February 12–15, 2017*.
- Eder, J. & Gruber, W. 2002. A meta model for structured workflows supporting workflow transformations. In *Advances in Databases and Information Systems, 6th East European Conference, ADBIS 2002, Bratislava, Slovakia, September 8–11, 2002, Proceedings*, Manolopoulos, Y. & Návrát, P. (eds), Lecture Notes in Computer Science 2435, 326–339. Springer.
- Fadel, F. G., Fox, M. S. & Gruninger, M. 1994. A generic enterprise resource ontology. In *Proceedings of 3rd IEEE Workshop on Enabling Technologies: Infrastructure for Collaborative Enterprises*, 117–128.
- Fahland, D. 2022. Multi-dimensional process analysis. In *Business Process Management - 20th International Conference, BPM 2022, Münster, Germany, September 11–16, 2022, Proceedings*, Lecture Notes in Computer Science 13420, 27–33. Springer. [https://doi.org/10.1007/978-3-031-16103-2\\_3](https://doi.org/10.1007/978-3-031-16103-2_3)
- Fanesi, D., Cacciagrano, D. R. & Hinkelmann, K. 2015. Semantic business process representation to enhance the degree of BPM mechanization - an ontology. In *International Conference on Enterprise Systems, ES 2015, Basel, Switzerland, October 14–15, 2015*, 21–32. IEEE.
- Farrell, A. D. H., Sergot, M. J. & Bartolini, C. 2007. Formalising workflow: a CCS-inspired Characterisation of the YAWL Workflow Patterns. *Group Decision and Negotiation* 16(3), 213–254.
- Friedenstab, J., Janiesch, C., Matzner, M. & Müller, O. 2012. Extending BPMN for business activity monitoring. In *45th Hawaii International International Conference on Systems Science (HICSS-45 2012), Proceedings, 4–7 January 2012, Grand Wailea, Maui, HI, USA*, 4158–4167. IEEE Computer Society.
- Gao, S. & Krogstie, J. 2010. A repository architecture for business process characterizing models. In *The Practice of Enterprise Modeling - Third IFIP WG 8.1 Working Conference, PoEM 2010, Delft, The Netherlands, November 9–10, 2010. Proceedings*, van Bommel, P., Hoppenbrouwers, S., Overbeek, S., Proper, E. & Barjis, J. (eds), Lecture Notes in Business Information Processing 68, 162–176. Springer.
- Gašević, D. & Devedžić, V. 2004. Reusing petri nets through the semantic web. In *The Semantic Web: Research and Applications, First European Semantic Web Symposium, ESWS 2004, Heraklion, Crete, Greece, May 10–12, 2004, Proceedings*, Bussler, C., Davies, J., Fensel, D. & Studer, R. (eds), Lecture Notes in Computer Science 3053, 284–298. Springer.
- Goedertier, S. & Vanthienen, J. 2007. Declarative process modeling with business vocabulary and business rules. In *On the Move to Meaningful Internet Systems 2007: OTM 2007 Workshops, OTM Confederated International Workshops and Posters, AWeSOMe, CAMS, OTM Academy Doctoral Consortium, MONET, OnToContent, ORM, PerSys, PPN, RDDS, SSWS, and SWWS 2007, Vilamoura, Portugal, November 25–30, 2007, Proceedings, Part I*, Meersman, R., Tari, Z. & Herrero, P. (eds), Lecture Notes in Computer Science 4805, 603–612. Springer.

- Grozniak, A. and Kovačič, A. 2002. Business renovation: from business process modelling to information system modelling. In *ITI 2002. Proceedings of the 24th International Conference on Information Technology Interfaces (IEEE Cat. No.02EX534)*, 1, 405–409.
- Guizzardi, G. 2006. On ontology, ontologies, conceptualizations, modeling languages, and (meta)models. In *Databases and Information Systems IV - Selected Papers from the Seventh International Baltic Conference, DB&IS 2006, July 3–6, 2006, Vilnius, Lithuania*, Vasilecas, O., Eder, J. & Caplinskas, A. (eds), *Frontiers in Artificial Intelligence and Applications* 155, 18–39. IOS Press. <http://www.booksonline.iospress.nl/Content/View.aspx?piiid=5421>
- Guizzardi, G., de Almeida Falbo, R. & Guizzardi, R. S. S. 2008. Grounding software domain ontologies in the unified foundational ontology (UFO): The case of the ODE software process ontology. In *Memorias de la XI Conferencia Iberoamericana de Software Engineering (CIBSE 2008), Recife, Pernambuco, Brasil, February 13–17, 2008*, Lencastre, M., e Cunha, J. F. & Valecillo, A. (eds), 127–140.
- Guizzardi, G. and Wagner, G. 2004. Towards ontological foundations for agent modelling concepts using the unified foundational ontology (UFO). In *Agent-Oriented Information Systems II, 6th International Bi-Conference Workshop, AOIS 2004, Riga, Latvia, June 8, 2004 and New York, NY, USA, July 20, 2004, Revised Selected Papers*, *Lecture Notes in Computer Science* 3508, 110–124. Springer.
- Guizzardi, G. & Wagner, G. 2010. Using the unified foundational ontology (UFO) as a foundation for general conceptual modeling languages. In *Theory and Applications of Ontology: Computer Applications*, 175–196. Springer.
- Guizzardi, G., Wagner, G., de Almeida Falbo, R., Guizzardi, R. S. S. & Almeida, J. P. A. 2013. Towards ontological foundations for the conceptual modeling of events. In *Conceptual Modeling - 32th International Conference, ER 2013. Proceedings*, LNCS 8217, 327–341. Springer.
- Haller, A., Oren, E. & Kotinurmi, P. 2006. An ontology for internal and external business processes. In *Proceedings of the 15th international conference on World Wide Web, WWW 2006, Edinburgh, Scotland, UK, May 23–26, 2006*, Carr, L., De Roure, D., Iyengar, A., Goble, C. A. & Dahlin, M. (eds), 1055–1056. ACM.
- Hammer, M. & Champy, J. 1993. *Reengineering the Corporation: A Manifesto for Business Revolution*. Harper Business.
- Hamri, S., Boufada, M. & Boudjlida, N. 2005. An architecture for the interoperability of workflow models. In *Proceedings of the First International ACM Workshop on Interoperability of Heterogeneous Information Systems (IHIS'05), CIKM Conference, Bremen, Germany, November 4, 2005*, 31–38. ACM.
- Heidari, F., Loucopoulos, P., Brazier, F. M. T. & Barjis, J. 2013. A meta-meta-model for seven business process modeling languages. In *IEEE 15th Conference on Business Informatics, CBI 2013*, 216–221. IEEE Computer Society.
- Heidari, F., Loucopoulos, P. & Kedad, Z. 2011. A quality-oriented business process meta-model. In *Enterprise and Organizational Modeling and Simulation - 7th International Workshop, EOMAS 2011, held at CAiSE 2011, London, UK, June 20–21, 2011. Selected Papers*, *Lecture Notes in Business Information Processing* 88, 85–99. Springer.
- Hua, Z., Zhao, J. L. & Storey, V. C. 2010. Exploring a domain ontology based approach to business process design. In *Proceedings of the International Conference on Information Systems, ICIS 2010, Saint Louis, Missouri, USA, December 12–15, 2010*. Association for Information Systems.
- International Conference on Enterprise Systems, *ES 2015, Basel, Switzerland, October 14–15, 2015* 2015DBLP:conf/es/2015 *International Conference on Enterprise Systems, ES 2015, Basel, Switzerland, October 14–15, 2015*. IEEE.
- Jannaber, S., Karhof, A., Riehle, D. M., Thomas, O., Delfmann, P. & Becker, J. 2016. Invigorating event-driven process chains - towards an integrated meta model for EPC standardization. In *Modellierung 2016, Workshopband*, Betz, S. & Reimer, U. (eds), LNI P-255, 13–22. GI.
- Kitchenham, B. 2004. Procedures for performing systematic reviews. *Keele, UK, Keele University* 33(2004), 1–26.
- Kitchenham, B. & Charters, S. 2007. Guidelines for performing systematic literature reviews in software engineering, Technical Report EBSE 2007-001, Keele University and Durham University Joint Report.
- Korherr, B. & List, B. 2007. Extending the EPC and the BPMN with business process goals and performance measures. In *ICEIS 2007 - Proceedings of the Ninth International Conference on Enterprise Information Systems, Volume EIS, Funchal, Madeira, Portugal, June 12–16, 2007*, 287–294.
- Krumeich, J., Zapp, M., Mayer, D., Werth, D. & Loos, P. 2016. Modeling complex event patterns in epc-models and transforming them into an executable event pattern language. In *Multikonferenz Wirtschaftsinformatik (MKWI)*, 81–92.
- Kunchala, J., Yu, J. & Yongchareon, S. 2014. A survey on approaches to modeling artifact-centric business processes. In *Web Information Systems Engineering - WISE 2014 Workshops - 15th International Workshops IWCSN 2014, Org2 2014, PCS 2014, and QUAT 2014, Thessaloniki, Greece, October 12–14, 2014, Revised Selected Papers*, *Lecture Notes in Computer Science* 9051, 117–132. Springer.
- Kwan, M. M. & Balasubramanian, P. R. 2003. Knowledgescope: managing knowledge in context. *Decision Support Systems* 35(4), 467–486.
- La Rosa, M., Dumas, M., ter Hofstede, A. H. M., Mendling, J. & Gottschalk, F. 2008. Beyond control-flow: Extending business process configuration to roles and objects. In *Conceptual Modeling - ER 2008, 27th International Conference on Conceptual Modeling, Barcelona, Spain, October 20–24, 2008. Proceedings*, *Lecture Notes in Computer Science* 5231, 199–215. Springer.
- Lindsay, A., Downs, D. & Lunn, K. 2003. Business processes—attempts to find a definition. *Information and Software Technology* 45(15), 1015–1019.
- List, B. & Korherr, B. 2005. A UML 2 profile for business process modelling. In *Perspectives in Conceptual Modeling, ER 2005 Workshops AOIS, BP-UML, CoMoGIS, eCOMO, and QoIS, Klagenfurt, Austria, October 24–28, 2005. Proceedings*, Akoka, J., Liddle, S. W., Song, I., Bertolotto, M., Comyn-Wattiau, I., Cherfi, S. S., van den Heuvel, W., Thalheim, B., Kolp, M., Bresciani, P., Trujillo, J., Kop, C. & Mayr, H. C. (eds), *Lecture Notes in Computer Science* 3770, 85–96. Springer.

- List, B. & Korherr, B. 2006. An evaluation of conceptual business process modelling languages. In *Proceedings of the 2006 ACM Symposium on Applied Computing (SAC)*, 1532–1539. ACM.
- López-Fernández, J. J., Cuadrado, J. S., Guerra, E. & de Lara, J. 2015. Example-driven meta-model development. *Software and Systems Modeling* 14(4), 1323–1347. <https://doi.org/10.1007/s10270-013-0392-y>
- Mahdi, K., Elmansouri, R. & Chaoui, A. 2012. Transforming business patterns to colored petri nets using graph grammars. In *2012 22nd International Conference on Computer Theory and Applications (ICCTA)*, 72–78.
- Mannhardt, F. 2018. Multi-perspective process mining. In *Proc. of the Dissertation Award, Demonstration, and Industrial Track co-located with 16th International Conference on Business Process Management (BPM 2018)*, CEUR Workshop Proceedings 2196, 41–45. [CEUR-WS.org](http://CEUR-WS.org).
- Martins, P. V. & Zacarias, M. 2015. Business process and practice alignment meta-model. *Procedia Computer Science* 64, 314–323.
- Masolo, C., Borgo, S., Gangemi, A., Guarino, N. & Oltramari, A. 2003. WonderWeb deliverable D18 ontology library (final). Technical report, IST Project 2001-33052 WonderWeb: Ontology Infrastructure for the Semantic Web.
- Masolo, C., Vieu, L., Bottazzi, E., Catenacci, C., Ferrario, R., Gangemi, A. & Guarino, N. 2004. Social roles and their descriptions. In *Principles of Knowledge Representation and Reasoning: Proceedings of the 9th International Conference (KR2004)*, 267–277. AAAI Press.
- Mertens, S., Gailly, F. & Poels, G. 2017. Towards a decision-aware declarative process modeling language for knowledge-intensive processes. *Expert Systems With Applications* 87, 316–334.
- Milanović, M., Gašević, D. & Wagner, G. 2008. Combining rules and activities for modeling service-based business processes. In *Workshops Proceedings of the 12th International IEEE Enterprise Distributed Object Computing Conference, ECOCW 2008, 16 September 2008, Munich, Germany*, van Sinderen, M., Almeida, J. P. A., Pires, L. F. & Steen, M. (eds), 11–22. IEEE Computer Society.
- Momotko, M. & Subieta, K. 2004. Process query language: A way to make workflow processes more flexible. In *Advances in Databases and Information Systems, 8th East European Conference, ADBIS 2004, Budapest, Hungary, September 22–25, 2004, Proceedings*, Lecture Notes in Computer Science 3255, 306–321. Springer.
- Natschläger, C. 2011. Towards a BPMN 2.0 ontology. In *Business Process Model and Notation - Third International Workshop, BPMN 2011, Lucerne, Switzerland, November 21–22, 2011. Proceedings*, Lecture Notes in Business Information Processing 95, 1–15. Springer.
- Ouali, S., Mhiri, M. & Bouzguenda, L. 2016. A multidimensional knowledge model for business process modeling. In *Knowledge-Based and Intelligent Information & Engineering Systems: Proceedings of the 20th International Conference KES-2016, York, UK, 5–7 September 2016*, Howlett, R. J., Jain, L. C., Gabrys, B., Toro, C. & Lim, C. P. (eds), *Procedia Computer Science* 96, 654–663. Elsevier.
- Papavassiliou, G. & Mentzas, G. 2003. Knowledge modelling in weakly-structured business processes. *Journal of Knowledge Management* 7(2), 18–33.
- Ramdoyal, R., Ponsard, C., Derbali, M., Schwanen, G., Linden, I. & Jacquet, J. 2013. A generic workflow metamodel to support resource-aware decision making. In *Proceedings of the 15th International Conference on Enterprise Information Systems - Volume 1: ICEIS, 243–250*. SciTePress.
- Recker, J., Rosemann, M., Indulska, M. & Green, P. F. 2009. Business process modeling- A comparative analysis. *Journal of AIS* 10(4), 1.
- Redding, G., Dumas, M., ter Hofstede, A. H. M. & Iordachescu, A. 2009. Modelling flexible processes with business objects. In *2009 IEEE Conference on Commerce and Enterprise Computing, CEC 2009, Vienna, Austria, July 20–23, 2009*, Hofreiter, B. & Werthner, H. (eds), 41–48. IEEE Computer Society.
- Rittgen, P. 2006. A language-mapping approach to action-oriented development of information systems. *European Journal of Information Systems* 15(1), 70–81.
- Rolf, M. & Asada, M. 2015. What are goals? and if so, how many?. In *2015 Joint IEEE International Conference on Development and Learning and Epigenetic Robotics (ICDL-EpiRob)*, 332–339. IEEE.
- Rosemann, M., Recker, J. & Flender, C. 2008. Contextualisation of business processes. *International Journal of Business Process Integration and Management* 3(1), 47–60.
- Ruiz, M., Costal, D., España, S., Franch, X. & Pastor, O. 2014. Integrating the goal and business process perspectives in information system analysis. In *Advanced Information Systems Engineering - 26th International Conference, CAiSE 2014, Thessaloniki, Greece, June 16–20, 2014. Proceedings*, Lecture Notes in Computer Science 8484, 332–346. Springer.
- Russell, N., van der Aalst, W. M. P., ter Hofstede, A. H. M. & Edmond, D. 2005. Workflow resource patterns: Identification, representation and tool support. In *Advanced Information Systems Engineering, 17th International Conference, CAiSE 2005, Proceedings*, LNCS 3520, 216–232. Springer.
- Russell, S. and Norvig, P. 1995. *Intelligence Artificial: A Modern Approach*. Prentice-Hall.
- Sanfilippo, E. M., Benavent, S., Borgo, S., Guarino, N., Troquard, N., Romero, F., Rosado, P., Solano, L., Belkadi, F. & Bernard, A. 2018. Modeling manufacturing resources: An ontological approach. In *Product Lifecycle Management to Support Industry 4.0 - 15th IFIP WG 5.1 International Conference on PLM 2018, Proceedings*, IFIP Advances in Information and Communication Technology 540, 304–313. Springer.
- Sanfilippo, E. M., Borgo, S. & Masolo, S. 2014. Events and activities: Is there an ontology behind BPMN?. In *Formal Ontology in Information Systems - Proceedings of the 8th International Conference, FOIS 2014*, Frontiers in Artificial Intelligence and Applications 267, 147–156. IOS Press.
- Santos Jr., P. S., Almeida, J. P. A. & Guizzardi, G. 2010. An ontology-based semantic foundation for ARIS EPCs. In *Proceedings of the 2010 ACM Symposium on Applied Computing (SAC)*, 124–130. ACM.

- Scheer, A.-W. 2002. Das basis-geschäftsprozeßmodell für aris. In *ARIS—Vom Geschäftsprozess zum Anwendungssystem*, 10–31. Springer.
- Scheer, A.-W., Thomas, O. & Adam, O. 2005. Process modeling using event-driven process chains. In *Process-Aware Information Systems: Bridging People and Software Through Process Technology*, Dumas, M., van der Aalst, W. M. P. & ter Hofstede, A. H. M. (eds), 119–146. Wiley.
- Söderström, E., Andersson, B., Johannesson, P., Perjons, E. & Wangler, B. 2002. Towards a framework for comparing process modelling languages. In *Advanced Inf. Systems Engineering, 14th Int. Conf., CAiSE 2002, Proceedings*, LNCS 2348, 600–611. Springer.
- Soffer, P. & Wand, Y. 2005. On the notion of soft-goals in business process modeling. *Business Process Management Journal* **11**(6), 663–679.
- Sprovieri, D. & Vogler, S. 2015. Run-time composition of partly structured business processes using heuristic planning. In *International Conference on Enterprise Systems, ES 2015, Basel, Switzerland, October 14–15, 2015*, 225–232.
- Stratigaki, C., Nikolaidou, M., Loucopoulos, P. & Anagnostopoulos, D. 2016. Business process elicitation from regulatory compliance documents: An e-government case study. In *18th IEEE Conference on Business Informatics, CBI 2016, 29th August - 1st September 2016, Paris, France, Volume 2 - Short and Workshop Papers*, Kornysheva, E., Poels, G. & Huemer, C. (eds), 8–13. IEEE.
- Strembeck, M. & Mendling, J. 2011. Modeling process-related RBAC models with extended UML activity models. *Information & Software Technology* **53**(5), 456–483.
- Stroppi, L., Chiotti, O. & Villarreal, P. 2011. A BPMN 2.0 extension to define the resource perspective of business process models. In *14th Ibero-American Conference on Software Engineering and 14th Workshop on Requirements Engineering, CibSE 2011*, 25–38.
- Thabet, D., Ghannouchi, S. & Ben Ghezala, H. 2015. Business process model extension with cost perspective based on process mining - cost data description and analysis. In *Proceedings of the 26th International Business Information Management Association Conference - Innovation Management and Sustainable Economic Competitive Advantage: From Regional Development to Global Growth, IBIMA 2015*, 44–58.
- Thom, L. H., Iochpe, C. & Mitschang, B. 2005. Improving workflow project quality via business process patterns based on organizational structure aspects. In *Proceedings of the Second GI-Workshop XML4BPM - XML for Business Process Management held at the 11th Conference Business, Technologie, and Web (BTW 2005) Karlsruhe (Germany), 01 March 2005*, CEUR Workshop Proceedings 145, 65–80. [CEUR-WS.org](http://CEUR-WS.org).
- van der Aalst, W. M. P. & Kumar, A. 2001. A reference model for team-enabled workflow management systems. *Data & Knowledge Engineering* **38**(3), 335–363.
- Wand, Y. & Weber, R. 1990. Toward a theory of the deep structure of information systems. In *ICIS*, 3.
- Weigand, H., Johannesson, P., Andersson, B., Bergholtz, M., Edirisuriya, A. & Ilayperuma, T. 2006. On the notion of value object. In *Advanced Information Systems Engineering, 18th International Conference, CAiSE 2006, Proceedings*, LNCS 4001, 321–335. Springer.
- Weiß, B. & Winkelmann, A. 2011. A metamodel based perspective on the adaptation of a semantic business process modeling language to the financial sector. In *44th Hawaii International International Conference on Systems Science (HICSS-44 2011), Proceedings, 4–7 January 2011, Koloa, Kauai, HI, USA*, 1–10. IEEE Computer Society.
- Weske, M. 2012a. Business process management architectures. In *Business Process Management*, 333–371. Springer.
- Weske, M. 2012b. *Business Process Management. Concepts, Languages, Architectures*. Springer.
- Yahya, F., Boukadi, K., Maamar, Z. & Ben-Abdallah, H. 2016. Towards a meta-modeling approach for social business process requirements capture. In *Proceedings of the 18th International Conference on Information Integration and Web-based Applications and Services, iiWAS 2016, Singapore, November 28–30, 2016*, Anderst-Kotsis, G. (ed), 345–354. ACM.

## Appendix A The primary studies

**Table A1.** The Primary Studies.

Workshop reference	Conference reference	Journal reference
		van der Aalst and Kumar (2001)
	Söderström <i>et al.</i> (2002)	
	Eder and Gruber (2002)	
	Groznič and Kovačič (2002)	Papavassiliou and Mentzas (2003)
		Kwan and Balasubramanian (2003)
	Momotko and Subieta (2004)	
	Gaššević and Devedžić (2004)	
Thom <i>et al.</i> (2005)	Russell <i>et al.</i> (2005)	
List and Korherr (2005)	Albert <i>et al.</i> (2005)	
Hamri <i>et al.</i> (2005)		
	List and Korherr (2006)	Rittgen (2006)
	Weigand <i>et al.</i> (2006)	
	Haller <i>et al.</i> (2006)	
Goedertier and Vanthienen (2007)	Korherr and List (2007)	Axenath <i>et al.</i> (2007)
	Combemale <i>et al.</i> (2007)	Farrell <i>et al.</i> (2007)
Milanović <i>et al.</i> (2008)	La Rosa <i>et al.</i> (2008)	Rosemann <i>et al.</i> (2008)
Bessai and Nurcan (2009)	Redding <i>et al.</i> (2009)	
Bouchbout <i>et al.</i> (2010)	De Nicola <i>et al.</i> (2010)	
	Hua <i>et al.</i> (2010)	
	Santos Jr. <i>et al.</i> (2010)	
	Gao and Krogstie (2010)	
Heidari <i>et al.</i> (2011)	Brüning and Gogolla (2011)	Strembeck and Mendling (2011)
Natschläger (2011)	Weis and Winkelmann (2011)	
	Stroppi <i>et al.</i> (2011)	
Bernardi <i>et al.</i> (2012)	Mahdi <i>et al.</i> (2012)	
	Friedenstab <i>et al.</i> (2012)	
	Bouneffa and Ahmad (2013)	Cherfi <i>et al.</i> (2013)
	Heidari <i>et al.</i> (2013)	Damaggio <i>et al.</i> (2013)
	Ramdoyal <i>et al.</i> (2013)	
Kunchala <i>et al.</i> (2014)	Ruiz <i>et al.</i> (2014)	
	Braun <i>et al.</i> (2014)	
	Sprovieri and Vogler (2015)	Martins and Zacarias (2015)
	Fanesi <i>et al.</i> (2015)	
	Thabet <i>et al.</i> (2015)	
Jannaber <i>et al.</i> (2016)	Ben Hassen <i>et al.</i> (2016)	Arévalo <i>et al.</i> (2016)
	Krumeich <i>et al.</i> (2016)	
	Yahya <i>et al.</i> (2016)	
	Ouali <i>et al.</i> (2016)	
	Stratigaki <i>et al.</i> (2016)	
	Ben Hassen <i>et al.</i> (2017)	Mertens <i>et al.</i> (2017)
	Dörndorfer & Seel (2017)	
	Ahn <i>et al.</i> (2018)	
		Amjad <i>et al.</i> (2018)

## Appendix B The old meta-model

In this Appendix, we report the tables and diagrams referring to the limited Literature-based meta-model presented in Adamo et al. (2020). Tables B1 and B2 report the elements and relations extracted from the original 36 primary studies. Figure B1 instead presents the merge of the extracted elements and relations in a unique meta-model, depicted in UML. If particular, Figure B1a depicts the model taxonomy while Figure B1b depicts all the other relations.

**Table B1.** *Recurring elements in meta-models.*

Macro-element	Element
<i>activity (9/64)</i>	activity (27), atomic activity (9), compound activity (13), activity instance (4), manual activity (2), automatic activity (2), collaborative organizational activity (2), critical organizational activity (2), cancel activity (3)
<i>event (10/41)</i>	event-EPC (4), event-BPMN (9), event sub-process (3), throw event (2), interrupting (2), start event (6), intermediate event (3), end event (8), message event (2), event location (2)
<i>state (5/27)</i>	state (4), precondition (9), postcondition (8), data input (3), data output (3)
<i>sequence flow (18/91)</i>	conditional control flow (4), sequence (3), multimerge (2), multi choice (2), synchronization point (2), connecting object (7), sequence flow (7), condition (2), merge (2), join (2), fork (2), gateway (16), complex gateway (2), event-based gateway (2), parallel gateway (AND) (12), inclusive gateway (OR) (9), exclusive gateway (XOR) (11), flow operator (4)
<i>time (3/6)</i>	time point (2), cycle time duration (2), temporal dependency (2)
<i>data flow (6/19)</i>	message flow (5), data flow (5), association (3), conversational link (2), knowledge flow (2), assignment to an actor (2)
<i>data object (17/48)</i>	artefact (9), physical artefact (2), data object (5), message (3), conversation (3), call conversation (2), information (3), physical knowledge support (2), internal knowledge (2), tacit knowledge (2), external knowledge (2), explicit knowledge (2), procedural knowledge (2), knowledge (3), document (2), artefact instance (2), data store (2)
<i>actor (14/72)</i>	actor (14), collective agent (4), organization (6), organization unit (6), human expert (2), internal agent (2), external agent (2), client (4), position (4), application (4), role (15), process owner (2), process participant (4), person (3)
<i>resource (8/50)</i>	resource (13), material resource (3), immaterial resource (3), information (4), position (4), role (15), application (4), process participant (4)
<i>value (2/5)</i>	measure (3), cost (2)
<i>goal (2/8)</i>	organizational objective (2), goal (6)
<i>context (2/4)</i>	context (2), business area (2)





