

Precision seed certification through machine learning

Akram Ghaffari*

Molecular Markers Lab, Registration and Identification of Plant Varieties Department, Seed and Plant Certification and Registration Institute (SPCRI), Agricultural Research, Education, and Extension Organization (AREEO), 31535-1516 Karaj, Iran

* Corresponding author, E-mail: a.ghaffari@areeo.ac.ir

Abstract

Original and pure seeds are the most important factors for sustainable agricultural production, development, and food security. Conventionally, seed protection and certification programs are carried out on several classes from breeders to certify seed based on a physical, biochemical, and genetic evaluation to approve seed as a cultivar. In seed industries, quality assurance programs depend on different methods for certifying seed quality characteristics such as seed viability and varietal purity. Those methods are mostly conducted in a less cost-effective and timely manner. Combining machine learning (ML) algorithms and optical sensors can provide reliable, accurate, non-destructive, and quick pipelines for seed quality assessments. ML employs various classifiers to authenticate and recognize varieties through K-means, Support Vector Machines (SVM), Discriminant Analysis (DA), Naive Bayes (NB), Random Forest (RF) and Artificial Neural Networks (ANNs). In recent years, progress in ANN algorithms as deep learning simplifies big data analytics procedures by categorizing learning and extracting distinct levels of multiplex data. Deep learning opened a new door for developing a smartphone as a fast and robust substitute for the online seed variety discrimination stage through developing a Convolutional neural networks (CNNs) model-based mobile app. This review presents machine learning and seed quality assessment areas to recognize and classify seeds through long-standing and novel ML algorithms.

Citation: Ghaffari A. 2024. Precision seed certification through machine learning. *Technology in Agronomy* 4: e019 <https://doi.org/10.48130/tia-0024-0013>

Introduction

For many years, farmers have been urged to cultivate genetically pure seeds with a high germination rate. Releasing high-quality seeds is the first step toward sustainable food production and stable economic profits. Therefore, seed testing and certification processes have been arranged to facilitate this process^[1]. In the seed certification process, four classes of seeds, including (i) nucleus, (ii) breeder, (iii) foundation, and (iv) certified seeds, should be evaluated based on some features that will be explained as follows^[2]. Four features are investigated through physical purity, seed health, moisture content, and genetic purity in the four seed classes to achieve high-quality seeds (Fig. 1). Physical purity determines equality in size and shape, free of stones, weed seeds, and other crop varieties ranging from 96% to 98%. Seed health is a critical attribute that presents germination capacity and vigor with no contamination of microbes and insect damage. Besides, it would be necessary to keep the seeds' proper moisture content because it plays a crucial role in germination capability and viability. The optimum moisture level is 9%–13% which protects seeds from diseases and insects spreading^[2]. Genetic purity is an important characteristic that implies preserved innate traits from parents to progenies. During the seed certification process, offspring should look like their mother plant^[3]. Distinctness, uniformity, and stability (DUS) tests along with molecular markers analysis are performed to confirm that a new variety is distinct from other varieties, its features are uniform and the variety is stable with relevant phenotypic traits from one generation to the next^[4]. The genetic purity of the certified seeds should be 99%, while it can be decreased by several factors

comprising a mechanical mixture of different seeds, mutation, genetic drift, etc. Thus, off-type and impure seeds should be removed from pure seeds^[5]. Most of the seed certification evaluation steps have produced big datasets that are difficult to be analyzed by the conventional statistical methods. For instance, image analysis is considered as a significant field of study employed in image identification, classification, and anomaly recognition^[6]. Image analysis is used for the classification of different seed varieties in several crop species, including wheat^[7], barley^[8], rice^[9], and corn^[10]. The most prevalent sensing systems are multi-spectral and hyperspectral imaging, synthetic aperture radar (SAR), thermal and near-infrared (NIR) cameras, and optical and X-ray imaging^[11]. Since, the mentioned multi-spectral and hyperspectral systems are costly, other cost-effective methods based on computer vision system (color, size, shape, and morphological characteristics) were employed in several crops^[12–16].

In the certification process, seed classification can be carried out based on visual characteristics with the involvement of experts. This conventional system is time-consuming, costly, and relies on experts' information. In contrast, identification of seed properties and varieties has been performed through image processing that is fast, accurate, and reliable^[16]. This classification technique generates valuable information on seed quality, recognition of impurities, and outliers^[17]. Images provided by sensing systems generate an outstanding amount of data^[18], requiring advanced computational and mathematical analyses skills.

Artificial intelligence (AI) has a broad range of applications in agriculture, from robotics, soil, and crop monitoring to predictive analytics that provide farmers with beneficial data to




Fig. 1 The characteristics that are evaluated in different seed classes during seed certification process.

achieve more from the land^[19]. Machine learning (ML), as a branch of AI, is known as a reliable and effective computational approach to develop model-based methods that can increase the efficiency of breeding procedures^[20]. ML algorithms such as K-means, support vector machines (SVM), artificial neural networks (ANNs), linear polarization, and wavelet-based filtering^[6] can be employed in different fields of study such as image analysis.

Long standing ML algorithms

In this review, the aim was to (1) briefly describe the seed processing steps, (2) review the past and current efforts to efficiently analyze big datasets derived during seed processing through ML algorithms, and (3) provide a future direction in this area to facilitate seed processing steps using novel mathematical methods. Different types of ML algorithms were exploited in different steps of seed certification. Each tested algorithm has its advantages and disadvantages. In this section, some important algorithms in the seed certification process are explained in detail.

Artificial neural networks (ANNs)

ANNs algorithms are one of the most broadly used algorithms in seed recognition research^[21]. ANN-based modeling structures are stimulated by the human brain's neurological processing ability. It could be considered as an encouraging approach for managing the nonlinearities and complexities of complex processes like seed recognition that is replete with incalculable, noisy, fractional, and missing data. ANN-based models could make models of compound dynamic structures without an understanding of the comprehensive basic physical mechanisms in multivariate traits. There are various ANN models, though the basic principle is similar^[22].

An ANNs model contains several neurons as signal-processing components that are connected by synapses as unilateral communication channels. An ANN receives input signals, processes the received signals, and finally produces an output signal. Every ANNs is linked to at least one other neuron based on its significant degree of a particular connection to the network that is called the weight coefficient^[23]. The generated signals from other neurons are considered as input data of $[X_1, X_2, \dots, X_m]$. The input data are multiplied by their associated synaptic weights (W_{ki}) and then moved to the artificial neuron.

Furthermore, a bias input (b_k) is considered an additional input signal to the artificial neuron. The Strength of the incoming signals is calculated by aggregating weighted input data and the bias input ($\sum(\text{weight} \cdot \text{input}) + \text{bias}$)^[24]. An activation function (λ_k) is imposed to model that decreases the domain of incoming signals into a limited value, and finally, the non-linear output ($Y_k = f \sum(\text{weight} \cdot \text{input}) + \text{bias}$) is generated. Activation functions lead to the non-linear transformation of input that makes the ANN capable of learning and performing complex tasks (Fig. 2). The most common activation functions in ANN systems are binary step, identity, softmax, sigmoid/logistic, tangent, hyperbolic tangent, and Gaussian^[25].

ANN models are classified on the basis of their learning mode into supervised/unsupervised or on their structures into feed-forward or feedback recall methods^[26]. Supervised ANNs uses a set of data patterns in the learning procedure that has separate input and output. However, unsupervised ANN algorithms employ a set of data patterns in the training process with only input values. Feedforward ANN models exploit unilateral information processing approaches that transmit data only from inputs to outputs. In contrast, feedback ANN models employ the bilateral stream that results in achieving insights from the prior layers letting feedback to the next layers in any neuron^[26].

Synapses transfer numerical weights to diminish the error between real and simulated data in several training algorithms. However, optimizing ANN models has some complications including data compilation, data processing, topology selection, training and testing the selected model, and simulation and validation of the established ANN models.

There are several types of ANNs that every have been developed into particular problems and applications. Some networks are appropriate for solving conceptual complications, whereas others are proper for data modeling and function estimation. The most popular ANNs in seed classification and recognition are Kohonen networks, multilayer perceptron (MLP), networks, deep neural networks (DNNs), and convolutional neural networks (CNNs) (Fig. 3)^[22].

Kohonen network

Kohonen network algorithm, known as self-organizing maps (SOM), is a type of unsupervised learning algorithm, consisting of two-layer networks where the input and output layers are completely connected where similar patterns are promoted in the vicinity to one another that results in a 2D map of the




Fig. 2 A schematic illustration of an artificial neuron.




Fig. 3 ANNs algorithms from old to new versions.

output neurons (Fig. 3)^[27]. Neurons that are closest to input win, and only weights of the winning neurons and their neighbors are updated. Kohonen networks map high-dimensional data into a smaller space that leads to data compression. Kohonen networks are employed for clustering (data grouping), pattern recognition, image segmentation, fuzzy partitioning, and classification^[28]. Chickpea seed varieties were identified through unsupervised ANNs, a self-organizing map (SOM) that showed a better performance with 79% accuracy compared to supervised ANN with 73% accuracy. SOM can learn new things and changes with variable conditions and inputs. However, unsupervised learning algorithms do not result in expected outputs^[29]. Besides, classification and identification of plants were made in leaf blade samples by the ANNs based on backpropagation algorithm (BP), KNN algorithm, Kohonen network based on SOM algorithm, and support vector machine. The training and identification time of the Kohonen network is moderately short, but the error rate of the Kohonen network is also very high due to the Kohonen network being applied without supervision (Table 1). Comparisons between four algorithms indicated that it could be effective for clustering, but it is

not proper as a classifier and cannot deliver sufficient information to separate from other items^[30].

Multilayer perceptron (MLP)

Multilayer perceptron (MLP) is a class of feed-forward artificial neural networks developed by^[31]. MLP is a non-linear computational process that is highly efficient for the classification and regression of complex features. Furthermore, MLP was created to address non-linear classification problems that further layers of neurons employed between the input layer and the output neuron, and these neurons are called hidden layers (Fig. 3). Thus, these hidden layers process the information achieved from the input layers and process them to the output layer that develop perceptrons to resolve non-linear classification problems^[32]. MLP is frequently employed for modeling and forecasting complex attributes, such as yield^[33], classification seed varieties^[7], weed discrimination^[34], unknown seed identification^[35]. This algorithm discovers the relationship between the input and output variables through some interconnected processing neurons that identify a solution for a particular problem^[36]. However, MLP is time-consuming method that may result in inaccurate modeling. Besides, MLP

Table 1. Comparisons among ML algorithms.

ML algorithms	SOM	MLP	DA	SVMs	RF	NB	CNNs
Accuracy	+	+++	++	++++	+++++	+++	+++++
Flexibility	+	++	+	+++	++++	+++	+++++
Advantages	Fast	Non-linear classification	Quick, inexpensive	Analyzing complex networks, diminishing the generalization error, using large number of hidden units	Tolerant of highly correlated predictors	Simplicity, fast training, decreases the number of parameters	Analysis of massive amounts of unsupervised data, better classification and prediction
Disadvantages	Unsupervised	Time-consuming, few hidden neurons	Unsupervised	Algorithmic complexity, development of ideal classifiers for multi-class problems and unbalanced data sets	Evaluation of pairwise interactions is difficult, future predictions require the original data	Oversensitive to redundant or irrelevant attributes, classification bias	It needs further developments for big data analysis

regularly employs few hidden neurons that makes it inappropriate for modeling and predicting than other algorithms with more hidden neurons^[33] (Table 1).

Discriminant analysis (DA)

Discriminant analysis (DA) is a flexible classifier that was exploited to classify observations into two or more groups or classes, and it examines methods and degrees of the contribution of variables to group partitioning (Figs 4 & 5). It was employed for image processing by several scholars in textural analysis in wheat (Fig. 5)^[37] and color analysis in castor^[38]. In wheat, a stepwise discrimination system was exploited for selection and ranking of the most important textural features

by LDA (linear discriminate analysis) classifier with 98.15% accuracy in top selected traits in nine cultivars^[37]. Furthermore, color analysis in castor through partial least squares-discriminant analysis (PLS-DA) and LDA demonstrated that the PLS-DA model with 98.8% accuracy was more efficient than LDA. It showed that this method was straightforward, quick, beneficial, and inexpensive (Table 1)^[38].

Chen et al. analyzed 28 color features of five corn varieties by step-wise discriminant with 90% accuracy^[39]. In addition, the color and shape attributes of Italian landraces of the bean were investigated using LDA that showed 82.4%–100% accuracy^[40]. However, another research used the shape plus texture features to recognize two weed species, rumex, and wild oat, in




Fig. 4 Schematic views of SVMs, DA, NB and RF algorithms.




Fig. 5 Schematic views of ML applications in seed recognition, classification and grading.

Lucerne and Vetch. They employed ANNs and stepwise discriminant analysis, while the ANNs presented better precision (92%–99 %) than the DA^[41].

Support vector machines (SVMs)

Support vector machines (SVMs) introduced by Vapnik in 2000 can be considered one of the most prevailing and simple machine learning algorithms^[42]. SVMs can be categorized based on the output variable to the Support Vector Classification (SVC) that classifies data, and the Support Vector Regression (SVR), which determines regression^[6]. The data was separated into training and validation sets. The majority of the dataset was assigned to the training set, whereas the rest was partitioned into the validation set based on different approaches such as cross-validation (Fig. 4)^[43].

SVMs are usually applicable to a two-class problem that creates a boundary between two groups in linear, non-linear, and trade-off penalty parameters to handle complexity (Fig. 4)^[44]. In non-linear relationships, SVM can discover patterns and performances. SVMs have several benefits over MLP depending on the dataset, which can analyze complex networks and employ numerous learning problem formulations to solve a quadratic optimization problem^[45]. Besides, SVMs showed a greater advantage over ANNs due to diminishing the generalization error by exploiting the structural risk minimization principle rather than the practical one used in ANNs^[21]. Even though there are several benefits of the SVM, there are some noticeable flaws including, algorithmic complexity leading to longer training time of the classifier in large data sets, development of ideal classifiers for multi-class problems, and unbalanced data sets (Table 1)^[46]. SVM was employed in several studies for discrimination and classification (Table 2). For soybean seed discrimination, several morphological and color attributes from several seed classes were analyzed by SVMs. Results showed that color traits had better discrimination ability than morphological traits with 77% and 59% accuracy, respectively^[47]. When the purity of waxy corn seeds was identified by image analysis of morphological and texture features through SVM that data showed 98.2% accuracy^[48]. Furthermore, an SVMs classifier was employed to detect seed defects in a large volume of corn seeds using color and texture features analysis. The results showed that the best accuracy (81.8%) was

obtained through the combination of both color and texture analysis than color and texture individually^[49]. The same method was exploited to identify corn varieties with the best accuracy (94.4%)^[50].

Random forest (RF)

Random forest (RF) was developed by Breiman^[51] that is known as an effective method for seed classification^[16], object recognition^[52], plant phenomics, and genomics^[53]. The RF is based on multiple decision trees, which are built at the same time (Fig. 4). They are constructed by bootstrapping data samples to learn, similar to bagging (bootstrap aggregation).

During training for each tree, the bootstrapped data samples are used as observations, and another randomly chosen beech of bootstrapped data samples is used as an out-of-bag observation. This is done repeatedly until every sample has been left out of one bag. Out-of-bags are used as an input for a newly built random forest with the same number of trees^[54]. The RF algorithm can be extended to multiclass, sequential regression, and binary classification problems. The RF algorithm has been extended to the tree pruning problem, called 'non-Breiman random forests'. In this regard, it is possible to generate resampled trees and use them as a candidate for each node in the constructed decision tree. The selection of the best tree is made based of mean-square error^[16]. Despite these advantages, RF generates a large number of candidate predictors that makes the evaluation of pairwise interactions difficult. Also, future predictions require the original data due to no possibility of replicating predictions without an actual forest^[55].

RF along with SVMs were exploited to discriminate soybean varieties based on color and morphological features. Data showed RF classifiers discriminated color features better than morphological features with a better accuracy 78% better than SVMs (77%)^[47]. However, three algorithms including, RF, SVMs, and K-Nearest Neighbors (KNN) were employed to classify dry beans through a computer vision system for seed certification. The results showed the better accuracy of the KNNs classifier (95%), while the accuracy of RF and SVMs was 93.1% and 93.5% respectively. The RF model accuracy exceeded 95.5% when using principal component transform was compared with the original variables^[16]. Another research classified rice through

image features of rice seed including, color, shape and texture. RF classifiers was employed along with SVMs, while RF classifiers through simple features showed the greatest classification with accuracy of 90.54% than SVMs^[56].

Naive Bayes (NB)

Naive Bayes (NB) classifiers are simple probabilistic classifiers based on the Bayes hypothesis that implies the independence of pair traits^[57]. In comparison with other classifiers like Neural Networks and Support Vector Machines, NB calls for quite little data for training, thus it does not include several parameters. It trains data fast and simply implemented. However, NB is over-sensitive to excessive or unrelated attributes. When some attributes are extremely correlated, they take great weight in the final decision, resulting in a decrease in accuracy of prediction of correlated features and classification bias^[58]. It was employed in several studies to identify and classify different seeds and plants (Table 2). NB is usually employed to recognize weed seeds based on morphological, color, and textural characteristics from images^[59]. This algorithm decreases the number of parameters to nearly ideal sets in every feature^[60]. The NB classifier outperformed ANN algorithms in weed seeds identification^[34]. Moreover, it was exploited in the seeds classification of Kama, Rosa, and Canadian wheat varieties according to their morphological features as the second-highest accuracy

classifier (94.3%), though ANN algorithms showed the highest performance (95.2%) than NB^[61].

Novel ML algorithms

Deep Neural Networks (DNNs)

Deep ANNs are commonly mentioned as deep learning (DL) or DNNs^[62]. They are a fairly novel part of ML with multiple processing layers to learn complex data representation through multiple levels of concepts that are known as representation learning. It transforms the representation from starting level with the raw input into a representation at a higher, moderately abstract level through simple and non-linear modules. Thus, compound functions can be learned by creating sufficient transformations. The leading benefit of DL in some cases is to extract features through the model itself. DL models have developed intensely in several sectors and industries, including agriculture. DNNs are basically ANNs with multiple hidden layers among the input and output layers and can also be supervised, partially supervised, and unsupervised^[63].

Convolutional Neural Networks (CNNs)

CNN is a popular DL model, which extracts feature maps via executing convolutions in the image domain. For instance, a color image makes up three 2D arrays of pixel intensities in the

Table 2. Examples of applied machine learning models in modern seed recognition and classification studies.

Plant species	Type of machine learning	Classifier	Accuracy	Features	Purpose	Ref.
Corn	Digital image	MLP	98.83%	Texture - spectrum hybrid	Seed varietal purity	[10]
Wheat	Digital image	ANNs	85.72%	Morphology	Seed varietal purity	[7]
Wheat	Digital image	ICA-ANN hybrid	96.25%	Color, morphology, and texture	Seed varietal purity	[72]
Wheat	Digital bulk image	LDA	98.15%	Texture	Seed varietal purity	[37]
Wheat	Digital bulk image	ANNs	97.62%	Texture	Seed varietal purity	[73]
Forage grass (<i>Urochloa brizantha</i>)	FT-NIR spectroscopy & X-ray imaging	RF	85%	Spectrum-composition hybrid	Seed germination & vigor	[74]
Corn	FT-NIR spectroscopy	PLS-DA	100%	Chemical composition	Seed germination & vigor	[75]
Pepper	FT-NIR & Raman spectroscopy	PLS-DA	99%	Chemical composition	Seed germination & vigor	[76]
57 weed species	Digital image	NB & ANNs	99.5%	Color, morphology, and texture	Weed identification	[59]
Wheat	Video processing	ANN - PSO hybrid	97.77%	Shape, texture & color	Physical purity & weed identification	[77]
Rice	Digital image	MLP	99.46%	Morphology, texture & color	Seed varieties classification	[9]
Rice	Digital image	ANNs	–	Morphology	Seed grading	[78]
Rice	Digital image	DFA	96%	Morphology	Physical purity	[79]
Soybean	Aerial imagery	CNNs	65%	Object detection	Weed identification	[80]
Soybean	Digital image	CNNs	97%	Color, texture and shape	Seed deficiency	[66]
Soybean	Digital image	CNNs	86.2%	Color, texture and shape	Seed counting	[70]
Corn	Digital image	MLP	94.5%	Color	Physical purity	[81]
Soybean	Flatbed scanner	SVMs & RF	78%	Color	Seed grading	[47]
Bean	Digital image	RF	95.5%	Color, texture and shape	Seed varieties classification	[16]
Corn	Hyperspectral image	SVMs	98.2%	Spectrum-texture – morphology hybrid	Seed varieties classification	[48]
Corn	Digital image	SVMs	95.6%	Color and texture	Seed varieties classification	[49]
Corn	Digital image	GA-SVM hybrid	94.4%	Color, texture and shape	Seed varieties identification	[50]
Corn	Digital image	CNNs	95%	Color, texture and shape	Haploid and dioploid discrimination	[82]
Corn	Digital image	CNNs	95%	Color, texture and shape	Seed varieties identification	[83]
Barley	Digital image	DA & K-NN	99%	Color, morphology & texture	Seed varieties classification	[8]
Barley	Digital image	CNNs	93%	Color, morphology & texture	Seed varieties classification	[84]

MLP: Multilayer Perceptron, ICA: Imperialist Competitive Algorithm, ANNs: Artificial Neural Networks, LDA: linear discriminate analysis, FT-NIR: Fourier transform near-infrared, PLS-DA: partial least squares discriminant analysis, NB: naive Bayes, PSO: partial swarm optimization, DFA: stepwise discriminant function analysis, CNNs: Convolutional neural networks, SVM: support vector machine, GA: genetic algorithm, DA: discriminant analysis, K-NN: K-nearest neighbors, SVMs: support vector machines.

Precision seed certification machine learning

three color channels that data formed of multiple arrays are processed through the CNN. There are four main concepts behind CNN, including local connections, shared weights, pooling, and the application of several layers^[15]. A CNN network (Fig. 6) is made up of a series of stages that every convolution layer has three stages including, convolution, detector, and pooling stages. First, in a convolutional stage, units are arranged in feature maps. Therefore, a filter bank, a set of weights, connects every unit of local patches in the feature maps of the previous layer to produce a set of linear activations. All units in a feature map are assigned the same filter bank. Next, the outcome of the aggregated local weights has proceeded over a non-linearity function that is called rectified linear unit (ReLU). This stage is sometimes called the detector stage. Finally, the pooling function offers the output of the network at a certain location with a summary statistic of the adjacent outputs. Thus, functions of the pooling stage adjust the output of the layer better^[64] (Fig. 3). CNN algorithms displayed successful application in agriculture, particularly for the identification and classification of unclear feature data, like the delicate features of small seeds^[65]. It was reported that a lightweight CNN could identify the defects on the full surface of seeds in seed sorting equipment. Three lightweight models (SqueezeNet, ShuffleNet, and MobileNetV2) were employed for training and deployment. Comparison between the classification results of the lightweight networks and classic networks showed that the classic network is two times greater in training time, three times longer in prediction time, and 41 times longer in training model size. Though the average accuracy of the classic networks is only 3% higher than that of the lightweight networks, the overall performance of lightweight networks is significantly better than that of classic networks. The decrease in average accuracy is due to the lower accuracy of SqueezeNet (0.89), while MobileNetV2 and ShuffleNet showed accuracies of 0.97 and 0.96, similar to the accuracy of the classic networks (0.97)^[66]. Another study^[67] employed SeedNet, a new kind of CNN and precise both in accuracy and training time for classification and identification of several seed images belonging to distinct families. Moreover, ten state-of-the-art CNNs were compared with SeedNet and classical machine learning approaches. As a result, SeedNet showed strong performance in both datasets and lower training time compared to the other networks. The CNNs presented robust performances compared to the traditional methods in accuracy and time training^[67].

Taheri in 2021 exploited VGG16, a CNN framework model for automatic recognition of chickpea varieties through seed images taken by a digital camera and a mobile phone camera in the visible spectrum (400–700 nm) (Fig. 6). VGG-16 is an architecture of the VGGNet that contains over 15 million parameters of convolutional layers. It can extract the image features containing shape, color, and texture. VGG16 design was improved by a global average pooling layer, dense layers, batch normalization, and dropout layers. The average accuracy of the modified CNN model was over 94%. They proposed that this method can be applied in the seed industry and mobile applications as a fast and strong automated seed identification procedure^[14]. Further, VGG-16 architecture was employed for the automated identification of grapevine cultivars by leaf imaging^[68]. Similarly, the VGG16 model was employed to identify and classify 14 common distinct seeds. In VGG16 architecture, the last layer was substituted with five performed layers: the average pooling layer, the flattening layer, the dense layer, the dropout layer, and the softmax layer. As a result, training and testing accuracy reached over 99%^[69]. Moreover, CNN has been exploited for computing the number of seeds in soybean pods. The architecture of CNN comprises 12 convolutional layers besides an output softmax layer where every convolutional layer is characterized by its number and size filter and the stride. CNN and SVM methods were employed in the project, while results showed CNN higher accuracy (86.2%) in seed-per-pod estimation than SVM (50.4%)^[70]. Another study proposed a mobile application that was developed to detect and classify seed images through several CNN models with high accuracy. Four different CNN models, including Inceptionv3, Xception, ResNet50, and Inception ResNetV2 models were applied for the detection and classification of 15 types of seed images with 99% accuracy^[71].

ML in determining seed germination and vigor quality

The quality of seeds are usually determined by germination and vigor tests^[2]. This process is time-consuming and based on experts' experiments and knowledge^[1]. Some changes in the chemical compound and internal features that lead to deficiency in germination and vigor cannot be detected visually^[85]. Therefore, effective techniques like FT-NIR and Raman spectroscopy and X-ray imaging are vital for extracting information




Fig. 6 Schematic illustration of weed seeds identification in seed lots by ANN.

of compound features relevant to seed quality^[85]. Fourier transform near-infrared (FT-NIR) spectroscopy is efficient for the identification of seed compounds through spectral measurements ranging from 780 to 2,500 nm^[86]. Besides, Raman spectroscopy (RS) is an analytical spectroscopy technique that employs laser sources on seed samples to capture and analyze scattering signals by a detector^[87]. Each chemical molecule has particular vibrational frequencies that lead to identifying chemical compositions and viability^[88]. RS is more accurate than conventional methods for discovering seeds' viability. RS was used in the corn^[75] seeds' viability test. However, X-ray imaging can detect seeds' internal attributes by a reduction in several tissues^[89]. ML algorithms can classify seeds quality traits (Fig. 7). Some efficient algorithms have been exploited to predict seed germination and vigor, including linear discriminant analysis (LDA), partial least squares discriminant analysis (PLS-DA), RF, NB, and SVMs^[90].

In another study for determining seed germination and vigor capabilities of a forage grass (*Urochloa brizantha*) by FT-NIR and X-ray techniques, the RF model was employed for analyzing the compound data of both techniques that reached accuracy at 85%. In contrast, the accuracy of the individual method was lower than combined data. However, LDA and PLS-DA algorithms showed the highest accuracy (90% for germination and 68% for vigor estimate) in the X-ray method, whereas the accuracy of 82% for seed germination was achieved by FT-NIR data with the PLS-DA algorithm^[74]. The physiological quality of the soybean seed lot was evaluated successfully through RF with a higher accuracy than other classifiers: MLP and J48^[91]. A study was conducted using NIR to determine seed viability in Japanese mustard spinach. PCA and SVMs were employed in the first step. Then, CNN was applied to realize the differences between viable and non-viable seeds and categorize them automatically. Classification accuracy was 90% showing the CNN was an efficient method to classify viable seeds^[92].

Data bias

Most prediction models produced by machine learning do not display proper methodological quality, leading to a high risk of bias. There are several reasons for a risk of bias: small study size, inadequate classification and handling of missing data, and improper control on overfitting. Improvement of the design, conduct, reporting, and validation of such studies will enhance the confidence, speed and precision application of prediction models in several field of studies^[93]. For example, high lot quality caused unbalanced data in soybean seed

analyses. Unbalanced learning results in surpassing one class on another class is a classification process. To overcome this problem, a resample filter was applied to prevent bias of the algorithm. The accurate selection of resources reduces the dimensionality of the data and benefit to faster function of the classifier, resulting in higher accuracy. When classes are classified incorrectly by classifiers, the classes with more data had higher accuracy and precision values than the other classes in unbalanced data. A smaller sample number of classes resulted in lower values of the performance compared with larger data classes. Employing classification *via* regression (CVR) showed a lower amount of false positives in some classes, led to better accuracy in the rejected and intermediate classes of soybean seed lots^[91].

Cross-validation and percentage-split

The main principle to estimate accuracy is that the evaluation samples should not be the same as the training samples. Training samples are excluded from the evaluation samples of certain parameter values that decreases the probability of over-training and led to an increase of the generalization of the classifier^[94]. Several partitions are created for each sample to be applied several times for several aims. The percentage split divides data into training and testing by percentage value (70%, 30%–90%, 10% for training and testing data). It is essential to choose the best percentage due to raising uncertainties^[95]. To increase the reliability of the machine learning results, cross-validation is developed to train and assess accuracy of samples several times. The k-fold cross-validation is a popular validation method that randomly divided the sample set into a series of identical sized folds. The dataset is divided into several partitions, or folds that is showed by k. For example, if a k-value of ten is applied, the dataset is divided into ten partitions. Thus, nine of the partitions are allocated for training data, while the remaining one partition is allocated for test data. The training is iterated ten times where nine partitions are specified for training data and a different partition is applied for the test set each time^[94]. A study evaluated several machine learning models to assess soybean seed lot quality. Soybean lots evaluated through two methods of test sets including cross-validation (with 8, 10, and 12 folds), and percentage split (with 66% and 70%). Results revealed that the 10-fold cross-validation achieved better figures than 8 and 12 that was 90.22% classification accuracy. However, the method applying 66% of data for training reached 93.55% accuracy. Therefore, precise classification through appropriate algorithm training




Fig. 7 application of ML models in seeds' viability.

Precision seed certification machine learning

lead to reliable information for seed quality testing^[96]. However, in other research, $k = 10$ cross-validation was applied to training and testing data of maize seed lots led to the high accuracy and precision of the classification for corn seed lots^[10,97].

Concluding remarks and future perspectives

Rapid and robust seed variety and purity recognition are the main challenges in the seed registration and certification process. Thus, developing high-throughput analyzing procedures is required to accelerate the seed variety discrimination accurately and affordably. ML algorithms were exploited in several studies to identify seed varieties, recognize weeds and evaluate seed viability through image analysis. In terms of discussing studies in the literature and providing insights into particular subjects in seed certification procedures, this review was dedicated to two important parts, including: 1) conventional machine learning methods and algorithms and their application in seed recognition, vigor, and purity; 2) the deep learning algorithms and architectures for seed identification and classification.

Several conventional machine learning and feature engineering algorithms comprising ANN, DA, RF, SVM, PLS-DA, and NB were employed to classify and detect seeds. These algorithms showed their great efficiency in the seed recognition and certification process (Fig. 5 & Table 2). However, it still needs human involvement for feature extraction. Therefore, deep learning was introduced to automatically extract complex data features from huge volumes of unsupervised and un-categorized data. Deep learning simplifies big data analytics procedures by categorizing learning and extracting distinct levels of multiplex data, particularly for discriminative purposes such as classification and prediction. Deep learning created great opportunities to develop in situ seed identification and sorting systems. For instance, imaging data can be easily accessed through mobile phones, tablets, or action cameras (GoPro) for *in situ* information processing. Thus, it can open a new window for utilizing a smartphone as a fast and robust substitute for the online seed variety discrimination stage by developing a CNN model-based mobile app^[14]. Some scholars presented that the CNN algorithm is trustworthy and highly effective for variety recognition^[98] in farms. Developing mobile apps would be a great approach for seed producers, processors, and distributors. Besides, a real-time seed recognition system is a fast and automatic recognition system through deep learning to detect seeds deficiencies in the selection process. The mechanism evaluates the whole surface features of seeds precisely *via* deep learning^[66]. Precise seed sorting methods will lead to increasing yield in the breeding industry. These developments can be extended to invent more mobile and online apps to detect and discriminate several features of seeds with minimum human involvement, such as seeds protein content, hardness, moisture content, and so on. These developments have evolved in the agriculture sector to accelerate food production for the projected global population in the near future. In summary, deep learning is a promising means for smarter, sustainable agriculture and secure food production.

However, the relatively low maturity of the deep-learning models demands further study. Specifically, further developments are crucial to adjust deep learning procedures for big data problems, containing high dimensionality, streaming data

analysis, scalability of deep learning models upgraded formulation of data abstractions, distributed computing, semantic indexing, data tagging, information retrieval, criteria for extracting good data representations, and domain adaptation. Upcoming research should address one or more of these difficulties^[99].

Author contributions

The author confirms sole responsibility for the following: study conception and design, data collection, analysis and interpretation of results, and manuscript preparation.

Data availability

All the data presented in this study are available from the corresponding author.

Conflict of interest

The author declares that there is no conflict of interest.

Dates

Received 2 December 2023; Accepted 7 May 2024; Published online 23 July 2024

References

1. Naghashzadeh MR, Azadbakht N. 2018. *Principles of seed production and certification*. Iran: Agricultural Institute of Applied Scientific and Skilled Higher Education. 81 pp.
2. Osroush S. 2010. *Cereal registration and certification*. Iran: Seed and plant certification and registration institute, Agricultural Research, Education, and Extension Organization. 29 pp.
3. Akbarzai DK. 2019. *Methods of genetic purity testing*. Meerut, India: Chaudhary Charan Singh University.
4. Zhang S, Li B, Chen Y, Shaibu AS, Zheng H, et al. 2020. Molecular-assisted distinctness and uniformity testing using SLAF-sequencing approach in soybean. *Genes* 11:175
5. Parimala K, Subramanian K, Mahalinga Kannan S, Vijayalakshmi K. 2013. *A manual on seed production and certification*. India: Centre for Indian Knowledge Systems, Chennai, Revitalising Rainfed Agriculture Network.
6. Singh A, Ganapathysubramanian B, Singh AK, Sarkar S. 2016. Machine learning for high-throughput stress phenotyping in plants. *Trends in Plant Science* 21:110–24
7. Khoshroo A, Arefi A, Masoumiasl A, Jowkar GH. 2014. Classification of wheat cultivars using image processing and artificial neural networks. *Agricultural Communications* 2:17–22
8. Guevara-Hernandez F, Gomez-Gil J. 1970. A machine vision system for classification of wheat and barley grain kernels. *Spanish Journal of Agricultural Research* 9:672–80
9. Pazoki A, Farokhi F, Pazoki Z. 2014. Classification of rice grain varieties using two Artificial Neural Networks (MLP and Neuro-Fuzzy). *The Journal of Animal & Plant Sciences* 24:336–43
10. Ali A, Qadri S, Mashwani WK, Brahim Belhaouari S, Naeem S, et al. 2020. Machine learning approach for the classification of corn seed using hybrid features. *International Journal of Food Properties* 23:1110–24
11. Zheng C, Abd-Elrahman A, Whitaker V. 2021. Remote sensing and machine learning in crop phenotyping and management, with an emphasis on applications in strawberry farming. *Remote Sensing* 13:531

12. Qadri S, Furqan Qadri S, Razzaq A, Ul Rehman M, Ahmad N, et al. 2021. Classification of canola seed varieties based on multi-feature analysis using computer vision approach. *International Journal of Food Properties* 24:493–504
13. Qian Y, Xu Q, Yang Y, Lu H, Li H, et al. 2021. Classification of rice seed variety using point cloud data combined with deep learning. *International Journal of Agricultural and Biological Engineering* 14:206–12
14. Taheri-Garavand A, Nasiri A, Fanourakis D, Fatahi S, Omid M, et al. 2021. Automated In Situ Seed Variety Identification via Deep Learning: A Case Study in Chickpea. *Plants* 10:1406
15. Chowdhury SH, Sany MR, Ahamed MH, Das SK, Badal FR, et al. 2023. A state-of-the-art computer vision adopting non-euclidean deep-learning models. *International Journal of Intelligent Systems* 2023:1–33
16. Macuácuá JC, Centeno JAS, Amisse C. 2023. Data mining approach for dry bean seeds classification. *Smart Agricultural Technology* 5:100240
17. Liakos K, Busato P, Moshou D, Pearson S, Bochti D. 2018. Machine Learning in Agriculture: A Review. *Sensors* 18:2674
18. Liaghat S, Balasundram SK. 2010. A review: The role of remote sensing in precision agriculture. *American journal of agricultural and biological sciences* 5:50–55
19. Jha K, Doshi A, Patel P, Shah M. 2019. A comprehensive review on automation in agriculture using artificial intelligence. *Artificial Intelligence in Agriculture* 2:1–12
20. van Dijk ADJ, Kootstra G, Kruijer W, de Ridder D. 2021. Machine learning in plant science and plant breeding. *iScience* 24:101890
21. Chaugule A. 2021. Survey of Seed Classification techniques. *Turkish Journal of Computer and Mathematics Education* 12:1236–60
22. Basheer IA, Hajmeer M. 2000. Artificial neural networks: fundamentals, computing, design, and application. *Journal of Microbiological Methods* 43:3–31
23. Giordani DS, Siqueira AF, Silva MLCP, Oliveira PC, de Castro HF. 2008. Identification of the biodiesel source using an electronic nose. *Energy & Fuels* 22:2743–47
24. Elsheikh AH, Sharshir SW, Abd Elaziz M, Kabeel AE, Wang G, et al. 2019. Modeling of solar energy systems using artificial neural network: A comprehensive review. *Solar Energy* 180:622–39
25. Almasi F, Soltanian S, Hosseinpour S, Aghbashlo M, Tabatabaei M. 2018. Advanced soft computing techniques in biogas production technology. In *Biogas. Biofuel and Biorefinery Technologies*, eds. Tabatabaei M, Ghanavati H. Cham: Springer. pp. 387–417. https://doi.org/10.1007/978-3-319-77335-3_15
26. Aghbashlo M, Peng W, Tabatabaei M, Kalogirou SA, Soltanian S, et al. 2021. Machine learning technology in biodiesel research: A review. *Progress in Energy and Combustion Science* 85:100904
27. Kohonen T. 1989. Self-organizing feature maps. In *Self-organization and associative memory*. Berlin, Heidelberg: Springer. pp. 119–57. https://doi.org/10.1007/978-3-642-88163-3_5
28. Zupan J, Gasteiger J. 1991. Neural networks: A new method for solving chemical problems or just a passing phase? *Analytica Chimica Acta* 248:1–30
29. Ghamari S. 2012. Classification of chickpea seeds using supervised and unsupervised artificial neural networks. *African Journal of Agricultural Research* 7:3193–201
30. Jiang H. 2020. The analysis of plants image recognition based on deep learning and artificial neural network. *IEEE Access* 8:68828–41
31. Pal SK, Mitra S. 1992. Multilayer perceptron, fuzzy sets, classification. *IEEE Transactions on Neural Networks* 3(5):683–97
32. Hecht-Nielsen R. 1989. *Neurocomputing*. Boston, MA, United States: Addison-Wesley Longman Publishing Co., Inc. 433 pp.
33. Geetha M. 2020. Forecasting the crop yield production in trichy district using fuzzy C-means algorithm and multilayer perceptron (MLP). *International Journal of Knowledge and Systems Science (JKSS)* 11:83–98
34. Granitto PM, Verdes PF, Ceccatto HA. 2005. Large-scale investigation of weed seed identification by machine vision. *Computers and Electronics in Agriculture* 47:15–24
35. Paliwal J, Visen NS, Jayas DS, White NDG. 2003. Cereal grain and dockage identification using machine vision. *Biosystems Engineering* 85:51–57
36. Ghorbani MA, Zadeh HA, Isazadeh M, Terzi O. 2016. A comparative study of artificial neural network (MLP, RBF) and support vector machine models for river flow prediction. *Environmental Earth Sciences* 75:476
37. Pourreza A, Pourreza H, Abbaspour-Fard MH, Sadriani H. 2012. Identification of nine Iranian wheat seed varieties by textural analysis with image processing. *Computers and Electronics in Agriculture* 83:102–8
38. Vilar WTS, Aranha RM, Medeiros EP, Pontes MJC. 2014. Classification of individual castor seeds using digital imaging and multivariate analysis. *Journal of the Brazilian Chemical Society* 26(1):102–9
39. Chen X, Xun Y, Li W, Zhang J. 2010. Combining discriminant analysis and neural networks for corn variety identification. *Computers and Electronics in Agriculture* 71:548–553
40. Venora G, Grillo O, Ravalli C, Cremonini R. 2009. Identification of Italian landraces of bean (*Phaseolus vulgaris* L.) using an image analysis system. *Scientia Horticulturae* 121:410–18
41. Chtioui Y, Bertrand D, Dattée Y, Devaux MF. 1996. Identification of seeds by colour imaging: Comparison of discriminant analysis and artificial neural network. *Journal of the Science of Food and Agriculture* 71:433–41
42. Vapnik VN. 2000. *The nature of statistical learning theory*. New York, NY: Springer Science & Business Media. 314 pp. <https://doi.org/10.1007/978-1-4757-3264-1>
43. Auria L, Moro RA. 2008. *Support vector machines (SVM) as a technique for solvency analysis*. Berlin: Deutsches Institut für Wirtschaftsforschung (DIW). DIW Discussion Papers 811.
44. Brereton RG, Lloyd GR. 2010. Support vector machines for classification and regression. *Analyst* 135:230–67
45. Feng L, Zhang Z, Ma Y, Du Q, Williams P, et al. 2020. Alfalfa yield prediction using UAV-based hyperspectral imagery and ensemble learning. *Remote Sensing* 12:2028
46. Cervantes J, Garcia-Lamont F, Rodríguez-Mazahua L, Lopez A. 2020. A comprehensive survey on support vector machine classification: Applications, challenges and trends. *Neurocomputing* 408:189–215
47. Namias R, Gallo C, Craviotto RM, Arango MR, Granitto PM. 2012. Automatic grading of green intensity in soybean seeds. *Proc. XIII Argentine Symposium on Artificial Intelligence (ASAI 2012)*, Argentine, 2012. Argentine: Argentine Society of Computing and Operational Research. pp. 96–104. https://41jaiio.sadio.org.ar/sites/default/files/9_ASAI_2012.pdf
48. Yang X, Hong H, You Z, Cheng F. 2015. Spectral and image integrated analysis of hyperspectral data for waxy corn seed variety classification. *Sensors* 15:15578–94
49. Kiratiratanapruk K, Sinthupinyo W. 2011. Color and texture for corn seed classification by machine vision. *Proc. 2011 International Symposium on Intelligent Signal Processing and Communications Systems (ISPACS)*, Chiang Mai, Thailand, 7–9 December 2011. USA: IEEE. pp. 1–5. <https://doi.org/10.1109/ISPACS.2011.6146100>
50. Zhao M, Wu W, Zhang YQ, Li X. 2011. Combining genetic algorithm and SVM for corn variety identification. *Proc. 2011 International Conference on Mechatronic Science, Electric Engineering and Computer (MEC)*, Jilin, China, 19–22 August 2011. USA: IEEE. pp. 990–93. <https://doi.org/10.1109/MEC.2011.6025631>
51. Breiman L. 2001. Random forests. *Machine Learning* 45:5–32
52. Lepetit V, Lagger P, Fua P. 2005. Randomized trees for real-time keypoint recognition. *Proc. 2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05)*, San Diego,

- CA, USA, 20-25 June 2005. USA: IEEE. pp. 775-81. <https://doi.org/10.1109/CVPR.2005.288>
53. Mokry FB, Higa RH, de Alvarenga Mudadu M, Oliveira de Lima A, Meirelles SLC, et al. 2013. Genome-wide association study for backfat thickness in Canchim beef cattle using Random Forest approach. *BMC Genetics* 14:47
 54. Khilari N, Hadawale P, Shaikh H, Kolase S. 2022. Analysis of Machine Learning Algorithm to predict Wine Quality. *International Journal of Scientific Research in Science, Engineering and Technology* 9:231-36
 55. Langsetmo L, Schousboe JT, Taylor BC, Cauley JA, Fink HA, et al. 2023. Advantages and Disadvantages of Random Forest Models for Prediction of Hip Fracture Risk Versus Mortality Risk in the Oldest Old. *JBMR Plus* 7(8):e10757
 56. Hong PTT, Hai TTT, Le Thi Lan VTH, Thuy NT. 2015. Identification of seeds of different rice varieties using image processing and computer vision techniques. *Science and Technology Development Journal* 13:1036-42
 57. Chaugule A, Mali S. 2013. Seed technological development—a survey. *Proceedings of the International Conference on Information Technology in Signal and Image Processing, Mumbai, India, 2013*. India: Association of Computer Electronics and Electrical Engineers (ACEEE). pp. 71-78.
 58. Ali A, Mashwani WK. 2023. A supervised machine learning algorithms: applications, challenges, and recommendations. *Proceedings of the Pakistan Academy of Sciences: A. Physical and Computational Sciences* 60(4):1-12
 59. Granitto PM, Navone HD, Verdes PF, Ceccatto HA. 2002. Weed seeds identification by machine vision. *Computers and Electronics in Agriculture* 33:91-103
 60. Frigau L, Antoch J, Bacchetta G, Sarigu M, Uccesu M, et al. 2020. A statistical approach to the morphological classification of Prunus sp. seeds. *Plant Biosystems - An International Journal Dealing with all Aspects of Plant Biology* 154:877-86
 61. Ajaz RH, Hussain L. 2015. Seed Classification using Machine Learning Techniques. *Journal of Multidisciplinary Engineering Science and Technology* 2(5):1098-102
 62. LeCun Y, Bengio Y, Hinton G. 2015. Deep learning. *Nature* 521:436-44
 63. Taghavi Namin S, Esmailzadeh M, Najafi M, Brown TB, Borevitz JO. 2018. Deep phenotyping: deep learning for temporal phenotype/genotype classification. *Plant Methods* 14:66
 64. Goodfellow I, Bengio Y, Courville A. 2016. *Deep learning*. Cambridge, MA, USA: MIT press. 802 pp.
 65. Patrício DI, Rieder R. 2018. Computer vision and artificial intelligence in precision agriculture for grain crops: A systematic review. *Computers and Electronics in Agriculture* 153:69-81
 66. Zhao G, Quan L, Li H, Feng H, Li S, et al. 2021. Real-time recognition system of soybean seed full-surface defects based on deep learning. *Computers and Electronics in Agriculture* 187:106230
 67. Loddo A, Loddo M, Di Ruberto C. 2021. A novel deep learning based approach for seed image classification and retrieval. *Computers and Electronics in Agriculture* 187:106269
 68. Nasiri A, Taheri-Garavand A, Fanourakis D, Zhang YD, Nikoloudakis N. 2021. Automated grapevine cultivar identification via leaf imaging and deep convolutional neural networks: a proof-of-concept study employing primary Iranian varieties. *Plants* 10:1628
 69. Gulzar Y, Hamid Y, Soomro AB, Alwan AA, Journaux L. 2020. A Convolution Neural Network-Based Seed Classification System. *Symmetry* 12:2018
 70. Uzal LC, Grinblat GL, Namías R, Larese MG, Bianchi JS, et al. 2018. Seed-per-pod estimation for plant breeding using deep learning. *Computers and Electronics in Agriculture* 150:196-204
 71. Başol Y, Toklu S. 2021. A Deep Learning-Based Seed Classification with Mobile Application. *Turkish Journal of Mathematics and Computer Science* 13:192-203
 72. Ebrahimi E, Mollazade K, Babaei S. 2014. Toward an automatic wheat purity measuring device: A machine vision-based neural networks-assisted imperialist competitive algorithm approach. *Measurement* 55:196-205
 73. Shahid M, Naweed M, Qadri S. 2014. Varietal discrimination of wheat seeds by machine vision approach. *Life Science Journal* 11:245-52
 74. Medeiros AD, Silva LJD, Ribeiro JPO, Ferreira KC, Rosas JTF, et al. 2020. Machine learning for seed quality classification: an advanced approach using merger data from FT-NIR spectroscopy and X-ray imaging. *Sensors* 20:4319
 75. Ambrose A, Lohumi S, Lee WH, Cho BK. 2016. Comparative non-destructive measurement of corn seed viability using Fourier transform near-infrared (FT-NIR) and Raman spectroscopy. *Sensors and Actuators B: Chemical* 224:500-6
 76. Seo YW, Ahn CK, Lee H, Park E, Mo C, et al. 2016. Non-destructive sorting techniques for viable pepper (*Capsicum annuum* L.) seeds using Fourier transform near-infrared and raman spectroscopy. *Journal of Biosystems Engineering* 41:51-59
 77. AgaAzizi S, Rasekh M, Abbaspour-Gilandeh Y, Kianmehr MH. 2021. Identification of impurity in wheat mass based on video processing using artificial neural network and PSO algorithm. *Journal of Food Processing and Preservation* 45:e15067
 78. Nikhade Pratibha, More Hemlata, Manekar Krunali, Khot PST. 2017. Analysis and identification of rice granules using image processing and neural network. *International Journal of Electronics and Communication Engineering* 10:25-33
 79. Aznan A, Rukunudin I, Shakaff A, Ruslan R, Zakaria A, et al. 2016. The use of machine vision technique to classify cultivated rice seed variety and weedy rice seed variants for the seed industry. *International Food Research Journal* 23:S31-S35
 80. Veeranampalayam Sivakumar AN, Li J, Scott S, Psota E, Jhala AJ, et al. 2020. Comparison of Object Detection and Patch-Based Classification Deep Learning Models on Mid- to Late-Season Weed Detection in UAV Imagery. *Remote Sensing* 12:2136
 81. Cao W, Zhang C, Wang J, Liu S, Xu X. 2012. Purity identification of maize seed based on discrete wavelet transform and BP neural network. *Transactions of the Chinese society of Agricultural Engineering* 28:253-58
 82. Altuntaş Y, Cömert Z, Kocamaz AF. 2019. Identification of haploid and diploid maize seeds using convolutional neural networks and a transfer learning approach. *Computers and Electronics in Agriculture* 163:104874
 83. Zhou G, Wang J, Zhang X, Guo M, Yu G. 2020. Predicting functions of maize proteins using graph convolutional network. *BMC Bioinformatics* 21:420
 84. Kozłowski M, Górecki P, Szczypiński PM. 2019. Varietal classification of barley by convolutional neural networks. *Biosystems Engineering* 184:155-65
 85. Ahmed MR, Yasmin J, Collins W, Cho BK. 2018. X-ray CT image analysis for morphology of muskmelon seed in relation to germination. *Biosystems Engineering* 175:183-93
 86. Andrade GC, Medeiros Coelho CM, Uarrota VG. 2020. Modelling the vigour of maize seeds submitted to artificial accelerated ageing based on ATR-FTIR data and chemometric tools (PCA, HCA and PLS-DA). *Heliyon* 6:e03477
 87. Xia Y, Xu Y, Li J, Zhang C, Fan S. 2019. Recent advances in emerging techniques for non-destructive detection of seed viability: A review. *Artificial Intelligence in Agriculture* 1:35-47
 88. Yang G, Wang Q, Liu C, Wang X, Fan S, et al. 2018. Rapid and visual detection of the main chemical compositions in maize seeds based on Raman hyperspectral imaging. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* 200:186-94
 89. Zhang L, Liu Z, Ren T, Liu D, Ma Z, et al. 2020. Identification of Seed Maize Fields With High Spatial Resolution and Multiple Spectral Remote Sensing Using Random Forest Classifier. *Remote Sensing* 12:362

90. de Medeiros AD, Pinheiro DT, Xavier WA, da Silva LJ, dos Santos Dias DCF. 2020. Quality classification of *Jatropha curcas* seeds using radiographic images and machine learning. *Industrial Crops and Products* 146:112162
91. Gadotti GI, Ascoli CA, Bernardy R, Monteiro RdCM, Pinheiro RdM. 2022. Machine learning for soybean seeds lots classification. *Engenharia Agrícola* 42:e20210101
92. Ma T, Tsuchikawa S, Inagaki T. 2020. Rapid and non-destructive seed viability prediction using near-infrared hyperspectral imaging coupled with a deep learning approach. *Computers and Electronics in Agriculture* 177:105683
93. Andaur Navarro CL, Damen JAA, Takada T, Nijman SWJ, Dhiman P, et al. 2021. Risk of bias in studies on prediction models developed using supervised machine learning techniques: systematic review. *BMJ* 375:n2281
94. Ramezan CA, Warner TA, Maxwell AE. 2019. Evaluation of sampling and cross-validation tuning strategies for regional-scale machine learning classification. *Remote Sensing* 11:185
95. Rocha LD, Gadotti GI, Bernardy R, Pinheiro RdM, Monteiro RdCM. 2023. Data mining for ranking sorghum seed lots. *Revista Caatinga* 36:471–78
96. Bernardy R, Gadotti GI, Monteiro RdCM, Pinto KVA, Pinheiro RdM. 2023. FITTING data mining settings for ranking seed lots. *Engenharia Agrícola* 43:e20220193
97. Gadotti GI, Moraes NAB, Silva JGd, Pinheiro RdM, Monteiro RdCM. 2022. Prediction of Ranking of Lots of Corn Seeds by Artificial Intelligence. *Engenharia Agrícola* 42:e20210005
98. Liu Y, Su J, Shen L, Lu N, Fang Y, et al. 2021. Development of a mobile application for identification of grapevine (*Vitis vinifera* L.) cultivars via deep learning. *International Journal of Agricultural and Biological Engineering* 14:172–79
99. Kamilaris A, Prenafeta-Boldú FX. 2018. Deep learning in agriculture: a survey. *Computers and Electronics in Agriculture* 147:70–90



Copyright: © 2024 by the author(s). Published by Maximum Academic Press, Fayetteville, GA. This article is an open access article distributed under Creative Commons Attribution License (CC BY 4.0), visit <https://creativecommons.org/licenses/by/4.0/>.